## BULLETIN OF ENTOMOLOGICAL RESEARCH

ISSUED BY THE IMPERIAL BUREAU OF ENTOMOLOGY. EDITOR: THE DIRECTOR.

LONDON:
THE IMPERIAL BUREAU OF ENTOMOLOGY,
41, QUEEN'S GATE, S.W.7.
1921-1922.

ALL RIGHTS RESERVED.



## GENERAL INDEX.

abdominalis, Cephenomyia. Abies firma, Coccid on, in Japan, 217.

Acacia confusa, Coccid on, in Japan, 212.

Acanthoconops, new subgenus of Leptoconops, 3, 24.

albiventris, anatomy of, 7; description of, 26. spinosifrons, sp. n., anatomy of, 5, 6, 7, 9, 19; description of, 24-26.

Achaea janata, new Braconid parasite of, in India, 130, 132.

Achatina fulica, destructive to cotton in Mauritius, 182.

aconitus, Anopheles.

Acrostichum, Ceroplastes rubens on, in Seychelles, 127.

actaeon, Hypoderma.

Adalia bi punctata, predacious on Aphids in Britain, 430.

adersi, Simulium hirsutum.

Adoretus versutus, food-plants of, in Mauritius, 185, 187, 190.

Aēdes, key to subgenera of, 293; key to larvae of Palaearctic species of, 293–295.

,, aestivalis, closely resembling A. sticticus, 312.

, (Ochlerotatus) albescens, sp. n., in W. Siberia, 309.

,, (Stegonyia) albopictus, breedingplaces of, in Far Eastern Ports, 402–409; in Palaearctic Region, 325.

,, aldrichi, perhaps a synonym of A. sticticus, 312.

,, (Ochlerotatus) alpinus, in Palaearctic Region, 309.

,, (Ochlerotatus) annulipes, in Palaearctic Region, 305; anatomy of, 298. Aëdes argenteus (Stegomyia fasciata), not found in Japanese Ports, 402, 408; in Palaearctic Region, 325; breeding in salt water, 30, 31.

, (Ochlerotatus) ashworthi, sp. n.,

in Australia, 75.

,, aureostriatus, A. japonicus not considered identical with, 318. ,, (Ochlerotatus) bancroftianus, sp.

n., in Queensland, 74. cantans (see A. maculatus).

(Ochlerotatus) caspius, influence of drought on, in British Isles, 208; in Palaearctic Region, 299; anatomy of, 301.

, (Ochlerotatus) cataphylla, anato-

my of, 298.

, cataphylla var. rostochiensis, in Palaearctic Region, 310.

(Aëdes) cinereus, in Palaearctic Region, 323; in Britain, 427.

(Ochlerotatus) communis, in Palaearctic Region, 314; anatomy of, 298.

(Caenocephalus) concolor, 76.

(Stegomyia) cretinus, sp. n., in Palaearctic Region, 325.

,, (Ochlerotatus) crucians, 76. cyprius (see A. lutescens).

(Stegomyia) dendrophila, sp. n., in Gold Coast, 74.

, (Ochlerotatus) detritus, in Palaearctic Region, 310; anatomy of, 298.

,, (Ochlerotatus) diantaeus, inPalaearctic Region, 311.

, (Ochlerotatus) dorsalis, in Palaearctic Region, 300; anatomy of, 301.

dorsalis, Theo. (see A. caspius).
(Finlaya) eatoni, in Palaearctic
Region, 319.

in Palae-Aëdes (Finlaya) echinus, arctic Region, 320; anatomy of, 294, 320, 321.

excrucians, (Ochlerotatus) Region, 305: anatomy of, 298

(Stegomyia) fraseri, 74.

(Ochlerotatus) freyi, sp. n., in Finland, 298, 301, 306.

(Skusea) funerea, in Amboina,

(Shusea) funerea var. ornata, in Ceram, 76.

gallii (see Aëdes pullatus jugo-

rum).

(Finlaya) geniculatus, breedingplaces of, in Britain, 206-208, 427; in Palaearctic Region, 319; anatomy of, 266, 292, 320. grahami (see A. dorsalis).

hirsuteron, closely resembling A.

sticticus, 312.

innuitus (see A. alpinus).

(Ochlerotatus) intrudens, in Palaearctic Region, 316; anatomy of, 301.

(Finlaya) japonicus, breedingplaces of, in Japanese Ports, 405-408; in Palaearctic Region, 318.

(Finlaya) koreicus, in Palaearctic

Region, 318.

lazarensis, 309; probably a variety of A. communis, 315.

(Ochlerotatus) lepidonotus, in Region, 308; Palaearctic anatomy of, 292, 301

(Ochlerotatus) lesnei, perhaps a synonym of A. sticticus, 312.

lutescens, (Ochlerotatus) in Palaearctic Region, 306;

anatomy of, 298.

(Ochlerotatus) maculatus (cantans, waterhousei), in Palaearctic Region, 304; anatomy of, 298; influence of drought on, in British Isles, 208; breeding in salt water, 30.

(Ochlerotatus) mariae, in Palaearctic Region, 303; anatomy

of, 294, 301, 302 metalepticus (see A. pullatus jugorum).

(Ochlerotatus) nearcticus (see A. alpinus).

(Ochlerotatus) nemorosus (see A. punctor var. meigenanus).

(Finlaya) niveus, in Palaearctic Region, 318.

obscurus (see A. communis).

(Ochlerotatus) palmeni (see A. communis).

Aëdes panayensis, 76.

(Ochlerotatus) parvulus, sp. n., in Finland, 314; anatomy of, 301.

(Skusea) pembaensis, 76.

pionips, probably a variety of A. communis, 315.

(Stegomyia) pseudonigeria, 74. (Ochlerotatus) pulchritarsis, in Palaearctic Region, 303.

pullatus, anatomy of, 298. (Ochlerotatus) pullatus var. ju-

gorum, in Palaearctic Region, 316.

(Skusea) punctipes, sp. n., in

Burma, 77. (Ochlerotatus) punctor, anatomy

of, 298.

(Ochlerotatus) punctor var. meigenanus (nemorosus), in Britain, 208, 427; in Palaearctic Region, 313.

(Ochlerotatus) rusticus, in Palaearctic Region, 308; venation

of, 285.

(Ochlerotatus) salinellus, in Palaearctic Region, 311; anatomy of, 298.

(Stegomvia) scutellaris (see A. albopictus).

(Ochlerotatus) semicantans, Palaearctic Region, 305; anatomy of, 298.

(Ochlerotatus) sticticus, in Palaearctic Region, 311.

(Stegomyia) sugens (see A. vittatus).

tahoensis, probably a variety of A. communis, 315.

(Ochlerotatus) tasmaniensis (see A. crucians).

(Finlaya) togoi, breeding-places of, in Japanese Ports, 405-408; in Palaearctic Region, 318.

(Ecculex) vexans, in Palaearctic Region, 322

vexans var. nipponii, 322

(Stegomyia) vittatus, in Palaearctic Region, 326.

(Ochlerotatus) waterhousei (see A. maculatus).

(Ochlerotatus) zammittii, in Palaearctic Region, 303.

aegypti, Culex. aenea, Rachionotomyia. aestivalis, Aëdes.

Africa, Oestrids of, 245, 247; new injurious Phytophaga in, 473-475; new Simuliids in, 457-463.

Africa, South, bionomics of Locustana pardalina in, 155-159.

africanus, Phlebotomus minutus.

agnoscibilis, Tabanus.

Agrilus foveicollis, attacking roses in Bulgaria, 353-354.

Agrilus viridis, 354.

Agromyza phaseoli, on beans in Mauritius, 186.

Agrotis ypsilon, new Braconid parasite of, in India, 129.

Agyrtes bicolor, a parasite of Scatopse,

aitkeni, Anopheles.

alaskaensis, Theobaldia.

albescens, Aēdes (Ochlerotatus).

albicans, Culicoides.

albiceps, Chrysomyia.

albigenu, Culex (see C. ventrilloni).

albimanus, Anopheles.

albimedius, Tabanus (see T. priscus).

albina, Musca.

albionensis, Orthopodomyia (see O. pulchripalpis).

albiventris, Acanthoconops.

albomaculata, Musca.

albopictus, Aëdes (Stegomyia).

Alcides crassus, in the Andamans, 167. dipterocarpi, sp. n., in seeds of Dipterocarpus tuberculatus in India, 166.

morio, in South India, 168.

alcocki, Simulium.

aldabraca, Pseudaonidia.

aldrichi, Aëdes.

alecto, Theretra. Alesia, 474.

Aleurodes vaporariorum (see Asterochiton).

Algeria, mosquitos in, 264; Simulium beckeri in, 117.

algeriensis, Anopheles.

Allotheobaldia, subgenus of Theobaldia, 286, 287

alluaudi, Haematopota.

Alopecurus pratensis, new Aphid on, in Britain, 430.

alpinus, Aëdes (Ochlerotatus).

amanda, Ocnerogyia.

America, Oestrids infesting rodents in, 249.

America, North, representative mosquitos of, 265.

americana, Cuterebra.

americanus, Leptoconops kertészi.

Amblyomma variegatum, on cattle in Kenya Colony, 235.

amictus, Anopheles.

analis, Cuterebra. Anastellorrhina augur (see Calliphora). Anatrachyntis simplex (see Pyroderces). Andamans, Alcides crassus in, 167.

andersoni, Culex.

angustifrons, Musca (see M. humilis).

angustitarsis, Anopheles. annandalei, Chionaspis.

annulata, Leucomyia; Theobaldia.

annulatus, Culex

annulifemur, Ochlerotatus (see Stegomyia periskeleta); Pipunculus.

annulipalpis, Leicesteria.

annulipes, Aëdes (Ochlerotatus); Anopheles.

annulirostris, Culex; Leucomyia (see

Culex taylori).

Anopheles, anatomy of larvae of, 91-97; Palaearctic species of, 267–281; keys to, 269; eggs of, 268, 276. aconitus, larva of, in Feder-

ated Malay States, 91,

93, 96.

aitkeni, larva of, in Federated Malay States, 91-97. albimanus, breeding in salt water, 31.

albotaeniatus var. montanus,

larva of, 93.

algeriensis, in Palaearctic Region, 270; egg of, 268. amictus, sp. n., in Queensland, 71.

angustitarsis, 116.

annulipes, breeding in salt water, 31; A. moluccensis not a variety of, 71. antennatus (see A. bifurcatus).

argyropus, possibly a form

of A. hyrcanus, 275. asiaticus, larva of, 93, 96. barianensis, considered dis-

tinct from A. plumbeus, 272. barbirostris, larva of, in

Federated Malay States,

91-96. bifurcatus; influence drought on, in British Isles, 205, 206; breedingplaces of, in Britain, 427 in Palaearctic Region, 271; egg of, 268; larva of, 94.

chaudoyei (see A. multicolor).

claviger (see A. maculipennis).

cleopatrae (see A. multicolor).

(Myzomyia) costalis, breeding in brackish water in Africa, 29; in Palaearctic Region, 277; egg of, 268.

crucians, breeding in salt

water, 30.

Anopheles culicifacies, associated with Culex mimulus, 338.

elutus, sp. n., in Palaearctic Region, 273; egg of, 268. flaviceps, sp. n., in Egypt,

fuliginosus, larva of, 93, 96. (Myzomyia) hispaniola, 30, 69; in Palaearctic Region, 279; egg of, 268.

hyrcanus, breeding-places of, in Far Eastern ports, 402-408; larva of, in Federated Malay States, 91, 93; in Palaearctic Region, 274; in Palestine, 116; egg of, 268.

hyrcanus var. mesopotamiae,

hyrcanus var. pseudopictus, 275.

immaculatus, probably a form of A. vagus, 70.

karwari, larva of, in Federated Malay States, 91, 95, 97.

kochi, larva of, 93, 96.

leucosphyrus, larva of, in Federated Malay States, 91.

leucosphyrus var. hackeri, n., in Federated Malay States, 70.

lewisi (see A. maculi pennis). lindesayi, in Palaearctic Region, 273; breedingplaces of, in Japanese ports, 405, 406.

ludlowi, breeding in salt water, 30; larva of, 93. lukisi (see A. algeriensis).

maculatus, 277; larva of, Federated · Malay States, 91–96, 97.

maculipalpis, 277.

maculipennis, breedingplaces of, in Britain, 427; influence of drought on, in British Isles, 205, 206, 208; in Palaearctic Region, 272; breeding in brackish water, 29, 31; egg of, 268; larva of, 94; and malaria, 5; supposed variety of, in Palestine, 116 (see A. elutus).

malefactor, breeding in salt water, 31.

mauritianus, in Palaearctic Region, 275.

minimus, associated with Culex mimulus, 338.

Anopheles (Myzomyia) multicolor, in Egypt and Palestine, 29, 116; in Palaearctic Region, 280; breeding in salt water, 29, 30; egg of, 268.

occidentalis (see A. maculipennis).

palestinensis (see A. superpictus).

paludis (see A. mauritianus).

(Myzomyia) pharoensis, in Palaearctic Region, 277. pictus (see A. hyrcanus).

plumbeus, breeding-places of, in Britain, 427; influence of drought on, in British Isles, 206-208; in Palaearctic Region, 271; egg of, 268.

pseudopictus (see A. hyrcanus).

pseudopictus flerowi, doubt as to identity of, 267.

pseudopunctipennis, breeding in salt water, 31. (Myzomyia) pulcherrimus,in

Palaearctic Region, 277; egg of, 268.

punctibasis, sp. n., 337; in Japan, 274; breedingplaces of, in Japanese ports, 405, 406.

punctulatus, characters of,

punctulatus var.moluccensis, 71.

punctulatus var. tessellatus, 71.

quadrimaculatus, breeding in salt water, 30.

(Myzomyia) rhodesiensis, in Palaearctic Region, 278; egg of, 268.

vossi var. indefinitus (see A. subpictus var. vagus).

sacharovii, doubt as to identity of, 267.

selengensis (see A. maculipennis).

separatus, 274.

(Myzomyia) sergenti, Palaearctic Region, 279. sinensis (see A. hyrcanus).

(Myzomyia) stephensi, in Palaearctic Region, 277; breeding in salt water, 30; egg of, 268.

subpictus var. vagus, larva of, in Federated Malay

States, 91, 93.

Anopheles (Myzomyia) superpictus, in Palaearctic Region, 278; in Palestine, 116; Culex mimeticus associated with, 338: anatomy of.

superpictus vassilievi, doubt

as to identity of, 267. tarsimaculatus, breeding in salt water, 31.

tessellatus, larva of, 93, 96.

theobaldi, 277.

turkhudi, 69; breeding in salt water, 30; egg of, 268.

(Myzomyia) turkhudi var. persicus, n., in Palaearctic Region, 280. umbrosus, larva of, 93.

vagus, A. immaculatus probably a form of, 70. willmori, 277.

antancarus, Henicospilus.

Antelopes, Oestrids infesting, in Africa, 246-248.

antennatus, Anopheles (see A. bifurcatus).

Antestia lineaticollis, bionomics of parasites of, in Kenya Colony, 191-201. antestiae, Hadronotus.

Anthomyia, carrying eggs of Dermatobia hominis, 249; larva of, accidentally producing myiasis, 252.

anthropophaga, Cordylobia.

Antonina bambusae, food-plant of, in Formosa, 211. crawii, food-plant of, in

Formosa, 211.

Aonidia obtusa, sp. n., on Verschaffeltia splendida in Seychelles, 126. aonidum, Chrysomphalus.

Aphidius, parasite of Aphis gossypii in Mauritius, 182.

Aphiochaeta ferruginea (see A. xanthina).

rufipes, causing myiasis, 240, 250; characters of larva of, 258, 260.

xanthina, causing myiasis, 240, 250; characters of larva of, 258, 260.

Aphis brassicae, on cabbage in Mauritius, 186.

euonymi, synonym of A. rumicis,

fabae, synonym of A. rumicis, 81. gossypii, on cucurbitaceous plants in Mauritius, 182, 186; natural enemies of, 182.

maidis, on maize in Mauritius,

papaveris, synonym of A. rumicis, 81.

Aphis rumicis, bionomics of, in Britain. 81-89.

apicalis, Culex; Cuterebra. approximata, Cuterebra.

aprepes, Tabanus. arctica, Theobaldia (see T. alaskaensis). Areca catechu, Pinnaspis buxi on, in Seychelles, 127

argenteus, Aëdes (Stegomyia).

Argol, Trigonogenius globulum breeding in, 133.

Argopistes oleae, sp. n., on olives in South Africa, 474.

sexvittatus, sp. n., on olives in South Africa, 475.

argyricephala, Lucilia.

Argyróploce rhynchias, on Canavalia ensiformis in Mauritius, 185.

argyropus, Anopheles.

Aristolochia acuminata, scale-insects on, in Mauritius, 182

Armigeres obturbans, breeding-places of, in Japanese ports, 405, 406; in Palaearctic Palaearctic Region, 326.

ventralis, in Hong Kong, 404. Artichoke, pests of, in Mauritius, 186. articulatus, Selenaspidus.

ashworthi, Aëdes (Ochlerotatus). Asia, Eastern, Coccidae in, 211-220.

asiaticus, Anopheles. asininus, Gastrophilus intestinalis.

Asparagus, new beetle attacking, in East Africa, 473.

Aspidiotus, 218; on Canavalia ensiformis in Mauritius, 185. inusitatus, Odonaspis penicillata recorded as, 219.

lataniae, food-plant of, in Formosa, 219.

Aspidomorpha obovata, on sweet potato in Mauritius, 184.

Asterochiton (Aleurodes) vaporariorum, colour tropisms of, 355-359.

Atheroides, Laingia allied to, 429.

atkinsoni, Idiocerus. atrox, Cuterebra.

augur, Calliphora (Anastellorrhina).

Aulacaspis cinnamomi, food-plant of, in Formosa, 212

flacourtiae (see Diaspis). pentagona (see Diaspis). rosae, food-plant of, in Formosa, 213.

> tegalensis, on sugar-cane in Formosa, 213.

aurantii, Chrysomphalus. aureo-argentatus, Oestrus. aureosimile, Simulium. aureostriatus, Aëdes. auribarbis, Cephenomyia.

aurotaenia, Culex (see C. quasigelidus).

Australia, bionomics of Euthyrrhinus meditabundus on mango in, 63–66; new Leptoconops in, 11, 12; houseflies in, 423–426; mosquitos in, 71,74,78,80; bionomics of Tabanids in, 41–62; notes on termites in, 363–399.

australicum, Trichogramma.

australis, Locusta (Pachytylus) (see L. migratoria ph. danica); Musca (see M. convexifrons).

autumnalis, Musca.

azoriensis, Culex (see C. pipiens).

Bamboo (Bambusa stenostachys), Coccids on, in Japan, 211, 213, 219. bambusa, Rachionotomyia.

bambusae, Antonina.

Banana, pests of, in Mauritius, 190. bancroftianus, Aēdes (Ochlerotatus). Baphinia, Coccids on, in Japan, 211.

barbirostris, Anopheles. barianensis, Anopheles.

barnesi, Tabanus.

Barraudius, new subgenus of Culex, 328, 332.

basicinctus, Culex.

batchelori, Tabanus (see T. aprepes). Batocera rubus, on mango in Mauritius, 189.

Beans (Phaseolus vulgare), Asterochiton vaporariorum on, in Britain, 359; pests of, in Mauritius, 186; Aphis rumicis on, 81; Phytometra orichalcea on, 99.

beckeri, Simulium.

beckii, Lepidosaphes. beesoni, Sympiezomias.

Bellardia nigrotecta (see Tabanus).

bengalensis, Gastrophilus intestinalis. bergrothi, Theobaldia (see T. glaphy-roptera).

bezziana, Chrysomyia (Pycnosoma). bezzii, Leptoconops; Musca.

Bibio hortulanus, attacking potatoes in Germany, 232; larva of, 231.
,, johannis, bionomics of, in Britain,

221, 231.
, lacteipennis, bionomics of, in

Britain, 221, 228–230.

,, marci, bionomics of, in Britain, 221–228.

pomonae, larva of, 231.

", venosus, bionomics of, in Britain, 221, 229, 230.

bicolor, Agyrtes. bicruciatus, Coccus. bifurcatus, Anopheles. bimaculata, Uranotaenia. bimaculipes, Rachionotomyia. binotalis, Crocidolomia. bipunctata, Adalia; Forcipomyia. bitaeniorhynchus, Culex.

bivittata, Musca (see M. humilis).

bjerkandrella, Porpe.

blanchardi, Kirkioestrus.

Blastophaga jacobsoni, bred from figs in Borneo, 35.

boetica, Lampides.

Bogeria spp., infesting rodents in America, 249.

Bois d'Amande, new scale on, in Seychelles, 126.

boisduvali, Diaspis.

bombacis, Rhadinomerus.

Bombax malabaricum, new weevil bred from, in India, 172.

Boophilus, on cattle in Kenya Colony, 235.

Borneo, new fig insects in, 35-40.

Botys, on Cajanus indicus in Mauritius, 185.

octoguttatus, possibly recorded in error for Thliptoceras octoguttalis on coffee in Mauritius, 187 (and footnote).

bovis, Hypoderma.

brasiliensis, Locusta (Pachytylus) (see Locusta migratoria ph. danica).

brassicae, Aphis.

braziliensis, Leptoconops.

brevipalpis, Culex; Cyathomyia; Megarhinus.

brevirostris, Osphilia.

Britain, bionomics of Aphis rumicis in, 81–89; new Aphid in, 429; Asterochiton vaporariorum infesting tomatos in, 355–359; early stages of Bibionids in, 221–232; bionomics of mosquitos in, 205–209, 427.

broquettii, Grabhamia (see Aëdes dorsalis).

brunnescens, Haematopota.

brunnipennis, Tabanus.

Bubaris indemnis, associated with termite nests, 371.

buccata, Bogeria.

Bulgaria, Agrilus foveicollis attacking roses in, 353–354.

Burma, Osphilia egregia in, 180.

Butea frondosa, new weevil bred from, in India, 178.

buteae, Rhadinopus. buxi, Pinnaspis.

Cabbage, pests of, in Mauritius, 186. cadaverina, Cynomyia.

caesar, Lucilia.

Cajanus indicus, pests of, in Mauritius, 182, 185.

Calandra oryzae, in stored maize in Mauritius, 184.

Calceolaria, Asterochiton vaporariorum on, in Britain, 359. calceolariae, Pseudococcus.

calcitrans, Culex; Stomoxys.

Calliphora, characters of larvae of, 258, 260.

(Anastellorrhina) augur, bionomics of, causing myiasis, 250; larva of, 255.

erythrocephala, causing myiasis, 250-252; larva of, 254, 255, 257.

quadrimaculata, causing myiasis, 250.

vomitoria, causing myiasis. 250; larva of, 255.

calopus, Culex (see Aëdes argenteus). Calotermes convexus, in Australia, 363.

obscurus, in Australia, 363. camelina, Hippobosca.

Camels, Oestrids infesting, 244, 247. Canavalia ensiformis, pests of, in Mauritius, 185.

canicularis, Fannia.

cantans, Culex (Ochlerotatus) (see Aëdes maculatus)

capensis, Hippobosca; Locusta (see

Locustana pardalina). capito, Pachytylus (see Locusta migratoria ph. migratorioides).

Capnodium, growth of, due to Coccids, 189.

caprina, Lipoptena.

Carrollia, a subgenus of Culex, 328. caspius, Aëdes (Ochlerotatus).

Cassia fistula, new weevil bred from, in India, 180.

cataphylla, Aëdes. catoiri, Ceratitis.

Cattle, trypanosomiasis in, in Kenya Colony, 233-235; warble flies infesting, 248.

Cauliflower, pests of, in Mauritius, 186. cautella, Ephestia.

cavennensis. Cuterebra.

centriniformis, Rhadinopus.

Cephalomyia maculata (see Cephalopsis titillator).

Cephalophus spp., Cordylobia rodhaini causing myiasis in, 243.

Cephalopsis titillator, infesting camels, 244, 247; characters of larva of, 255.

Cephenomyia abdominalis, in U.S.A.,

auribarbis, infesting red deer, 250.

macrotis, in N. America, 250. phobifer, in N. America,

250.

Cephenomyia pratti, infesting deer in N. America, 250.

stimulator, infesting roe deer, 250.

trompe, infesting reindeer, 250.

ulrichi, infesting elk, 250. Ceratitis catoiri, on citrus and mango in Mauritius, 189, 190.

Ceratosolen crassitarsus, 38.

hewitti, sp. n., bred from figs in Borneo, 35-38. striatus, 38.

Cercyonia citri, sp. n., on citrus in Gold Coast, 473.

nigricollis, 474. cevifexus, Cevoplastes.

Cerococcus ficoides, food-plant, of, in Formosa, 212

Ceroplastes ceriferus, on citrus and coffee in Kenya Colony, 103.

> rubens, food-plant of, in Formosa, 212; on fern in Seychelles, 127.

cervi, Lipoptena.

Ceylon, Osphilia brevirostris in, 180; scale-insects in, 127-128.

Chaetococcus, considered a synonym of Antonina, 211.

Chalcis euthyrrhini, sp. n., parasite of Euthyrrhinus meditabundus in Queensland, 65; description of, 67.

chalcomelaena, Lipopiena. chalcytes, Phytometra.

chaudovei. Anopheles (see A. multi-

Chilomenes lunata, predacious on Aphids in Mauritius, 182, 186.

China, Coccids in, 212, 214, 216; mosquitos found in ports of, 401–409. chinensis, Fiorinia.

Chionaspis, on manioc in Mauritius, 184. annandalei, food-plant of, in Formosa, 213

citri, on citrus in Mauritius, 188.

dilatata, on mango in Mauritius, 189.

eugeniae, doubt as to identity of, 213.

subcorticalis, on Cajanus indicus in Mauritius. 185; food-plants of, in Seychelles, 127.

Chloridea obsoleta (see Heliothis).

Choeroporpa, New World representative of Culiciomyia, 335.

christophi, Megarhinus. chrysidiformis, Cobboldia.

Chrysoconops, 291.

492 Chrysomphalus aonidum, food-plant of, in Formosa, 220. aurantii, food-plant of, in Formosa, 219; of, bionomics in Kenya Colony, 103-104; on citrus in Mauritius, 188. ficus, on citrus Mauritius, 188. Chrysomyia, characters of larvae of, 254, 255, 258. albiceps, causing myiasis, 250; larva of, 258, 260. bezziana, producing myiasis in Africa and India, 239, 241, 242; larva of, 259, 260. dux (see C. megacephala). flaviceps, 242. macellaria (see Cochliomyia). marginale, causing myiasis, 250. megacephala, producing myiasis in India, 239, 242; found in intestines of man, 252; larva of, 255; synonymy of, 250. rufifacies (see C. albiceps). varipes, causing myiasis, 250; larva of, 258, 260. Chrysops flavocincta, in Siam, 431. chrysostoma, Sarcophaga. cilipes, Haematopota. cinerascens, Tabanus. cinereus, Aëdes. cingalaisina, Musca. cinnamomi, Aulacaspis. Cinnamomum camphora, Coccid on, in Formosa, 212. ceylanicum, Coccid on, in Java, 212. circumscriptus, Culicoides. citri, Cercyonia; Chionaspis; Pseudo-Citrus, new beetle attacking, in Gold Coast, 474; Coccids on, in Japan, 211, 212, 214, 219, 220; scale-insect on, in Kenya Colony, 103; pests of, in Mauritius, 182, 187. clarki, Leucotermes. claviger, Anopheles (see A. maculipennis). cleopatrae, Anopheles (see A. multicolor). clypealis, Idiocerus.

coalitum, Simulium alcocki.

Cobboldia chrysidiformis, infesting ele-

phants in Africa, 248.

ele-

248;

elephantis, infesting phants in India,

larva of, 255, 261.

loxodontis, infesting phants in Africa, 248. Cobboldia parumspinosa, infesting elephants in Africa, 248 Coccidae, from Eastern Asia, 211-220; from the Seychelles, 125-128. Coccus bicruciatus, food-plant of, in Formosa, 212. elongatus, food-plants of, Formosa, 212. hesperidum, on citrus and coffee in Kenya Colony, 103; on mango in Mauritius, 189. mangiferae, on mango in Mauritius, 189. viridis, food-plants of, in Mauritius, 187, 188. Cochliomyia, characters of larvae of, 254, 255, 258. macellaria, causing myiasis, 240, 250. viridula, causing myiasis, 250. Coconut, pests of, in Mauritius, 187. Codiaeum variegatum, Coccid on, in Japan, 212. Coelonia solani, on tobacco in Mauritius, 183. Coffee, scale-insect on, in Kenya Colony, 103; parasites of pests of, in Kenya Colony, 191-201; pests of, in Mauritius, 187. Coffee Bug (see Antestia lineaticollis). columbae, Haemoproteus. communis, Aëdes (Ochlerotatus). compactus, Pyrilloxenos. compositus, Oestrus. comstocki, Pseudococcus. concinnus, Culex (see Aëdes sticticus). concolor, Aëdes (Caenocephalus); Lutzia. conducens, Musca (see M. humilis). conjugens, Gyrostigma. consputus, Rhadinopus. convexifyons, Musca (see M. albomaculata) convexus, Calotermes. convolvuli, Herse (Sphinx). Coptotermes, 363. lacteus, in Australia, 394. Coquillettidia, subgenus of Taeniorhynchus, 291. Cordylobia anthropophaga, causing myiasis, 241, 243. rodhaini, causing myiasis, 241, 243. corinnae, Hypoderma. corvina, Musca. Corynoneura, 1. Cosmophila flava, on cotton in Mauritius, 181.

xanthindyma (see C. flava).

Cosmopolites sordidus, on banana in Mauritius, 190.

costalis, Anopheles (Myzomvia).

Cotton, pests of, in Mauritius, 181, 182. crassirostris, Musca (Philaematomyia). crassitarsus, Geratosolen.

crassus, Alcides.

Cratopus punctum, on coffee in Mauritius, 187.

crawii. Antonina.

cretinus, Aëdes (Stegomyia).

Cricetomys gambianus, Cordylobia rodhaini causing myiasis in, 243. crinicauda, Culex.

Crioceris nigropunctata, 473.

, quatuordecimpunctata, 473. , viridissima, sp. n., on asparagus in East Africa, 473.

cristata, Gedoelstia.

Crocidolomia binotalis, on cabbage in Mauritius, 186.

crucians, Aëdes (Ochlerotatus); Anopheles.

Cryptodus grossipes, in termite nests, 371.

Cryptorrhynchus lapathi, stridulatory apparatus of, 178.
,, mangiferae, on mango in Mauritius, 190.

Ctenodactylus gundi, 5.

Cucumbers, pests of, in Mauritius, 186. Culex, key to Palaearctic species of, 328-331; characters of larvae of, 92.

, aegypti, 325, 326.

, albigenu (see C. ventrilloni).

,, andersoni, 78.

,, annulatus, 78, 267.

,, annulatus var. marocanus (see Theobaldia longiareolata).

annulirostris, 78.

,, apicalis, in Palaearctic Region, 336.

auritaenia (see C. quasigelidus).
azoriensis (see C. pipiens).

,, basicinctus, n. n., proposed for Leucomyia annulata, 78.

, bitaeniorhynchus, in Palaearctic Region, 337.

, (Neoculex) brevipalpis, 79, 336.

calcitrans, perhaps a synonym of C. pipiens, 345.

,, calopus (see Aëdes argenteus). ,, cantans (see Aëdes maculatus).

,, concinnus (see Aëdes sticticus). ,, crinicauda, n. n., for Culex parvus, Taylor, 77.

, curriei (see Aëdes dorsalis).

of C. pipiens, 345.

, dorsalis (see Aëdes).

Culex fasciatus, perhaps a synonym of C. pipiens, 345.

,, fatigans, breeding-places of, in Far Eastern ports, 402, 404, 405, 406, 407; in Palaearctic Region, 345.

ficalbi (see Theobaldia fumipennis).

, filipes (see Rachisoura).

,, flavirostris, perhaps a synonym of Theobaldia morsitans, 289.

flavovirens, believed to be a Chironomid, 267.

, fusculus (see Aëdes geniculatus).

(Neoculex) fuscus, 79.

,, hayashi, breeding-places of, in Japanese ports, 405, 406; in Palaearctic Region, 336; anatomy of, 332.

, hortensis, in Palaearctic Region, 336; anatomy of, 292.

, (Culiciomyia) impudicus, in Palaearctic Region, 335.

, (Lophoceratomyia) jenseni, 336; synonymy of, 78.

,, jugorum (see Aëdes pullatus jugorum).

,, laticinctus, in Palaearctic Region, 342.

, laurenti, in Palaearctic Region, 344.

,, lazarensis (see Aëdes communis). ,, leucomelas, probably a synonym of Aëdes communis, 314.

, luteus, perhaps a synonym of C. pipiens, 345.

,, maculiventris (see Aëdes dorsalis). ,, meridionalis, perhaps a synonym of C. pipiens, 345.

, mimeticus, in Palaearctic Region, 337.

mimulus, Anophelines associated with, 338.

, (Barraudius) modestus, in Palaearctic Region, 332; anatomy of, 332.

molestus, perhaps a synonym of C. pipiens, 345.

musicus, perhaps a synonym of Aëdes rusticus, 308.

,, nemorosus (see Aëdes communis). ,, nemorosus var. dorsovittatus (see

Aëdes sticticus).
. nicaensis, perhaps a synonym of
Theobaldia annulata, 288.

,, nigripes var. sylvae (see Aëdes sticticus).

nigritulus (see C. pipiens).

,, niveus, 267.

,, orientalis, sp. n., 342; in Japan, 338; breeding-places of, in Japanese ports, 407, 408.

Culex osakensis (see C. pipiens).

pallens (see C. pipiens).

(Culiciomyia) pallidithorax, 335. pallipes, 267; perhaps a synonym of C. pipiens, 345.

perexiguus, in Palaearctic Region, 342; anatomy of, 343, 344.

pipiens, breeding-places of, in Britain, 205, 207, 427; in Japan, 407, 408; in Palaearctic Region, 345.

(Barraudius) pusillus, in Palaearctic Region, 333; anatomy

of, 332, 333, 334

quasigelidus, in Palaearctic Region, 337; synonymy of, 78.

quasimodestus (see C. pipiens).

rufus (see C. pipiens). salus (see C. sitiens).

sergenti, perhaps a synonym of C. apicalis, 336.

simpsoni, 78. sinensis, 78; in Palaearctic Region, 337

sitiens, 78, 339; breeding in seawater, 29.

(see spathipalpis Theobaldia

longiareolata). taeniorhynchus, breeding in salt

water, 31. taylori, n. n., proposed for Leucomyia annulirostris, 78.

thalassius, breeding in brackish water, 29.

thoracicus, perhaps a synonym of

C. pipiens, 345.

tipuliformis, in Palaearctic Region, 339, 340, 341; venation of, 285.

trifilatus, 341.

tritaeniorhynchus, breeding-places of, in Far Eastern ports, 402-404, 406, 407; in Palaearctic Region, 339; in Palestine, 116.

univittatus, 342.

varioannulatus (see C. pipiens). ventrilloni, synonymy of, 78.

virgatipes, breeding-places of, in Hong Kong, 404; in Palaearctic Region, 341.

viridis, believed to be a Chironomid, 267

vishnui, 77; in Palaearctic Region, 339.

vulgaris, doubt as to identity of, 267.

Culicada nemorosa salina (see Aëdes sticticus).

nigrina (see Aēdes sticticus). Culicella, subgenus of Theobaldia, 286, 289.

culicifacies, Anopheles.

Culicini, key to Palaearctic genera of,

Culiciomyia, a subgenus of Culex, 328, 334.

> nebulosa, perhaps a synonym of Culex impudicus,

Culicoides, key to Palestine species of, 108.

albicans, 110.

circumscriptus, in Palestine, 108, 115

(Johannseniella) fulvithorax, in Africa, 112

guttularis, sp. n., in Palestine, 108, 114.

newsteadi, sp. n., in Palestine, 108, 113.

odiatus, sp. n., in Palestine, 108, 112.

odibilis, sp. n., in Palestine, 108, 114.

pulicaris, 113, 114.

pumilus, 109.

puripennis, sp. n., in Palestine, 108-109.

susae, in Italy, 112.

tentorius, sp. n., in Palestine, 108, 110-112.

vitreipennis, sp. n., in Palestine, 108.

Culiseta siberiensis (see Theobaldia alaskaensis).

cuniculi, Cuterebra.

curculionis, Thaumasura.

Currant, new Coccid on, in Japan, 216. curriei, Culex (see Aëdes dorsalis).

curtipalpis, Lophoceratomyia (see Culex jenseni).

Cuterebra spp., infesting rodents in America, 249.

Cyathomyia brevipalpis, referred to subgenus Neoculex, 79; (see Culex) jenseni (see Culex).

Cycas revoluta, Coccid on, in Formosa,

Cydia pomonella, on peaches in Mauritius, 190.

Cylas formicarius, on sweet potato in Mauritius, 184.

Cynomyia, characters of larvae of, 258. cadaverina, causing myiasis,

250; larva of, 255. cyprius, Aëdes (see A. lutescens).

Dacus sygmoides, on cucurbitaceous plants in Mauritius, 186. daliensis, Drepanotermes. danica, Locusta.

darwinensis, Mastotermes.
dasypoda, Rogenhofera.
decorella, Tachardia.
Deer, Oestrids infesting, 248, 250.
Deilephila livornica, on grape vines in
Mesopotamia, 479.
Deinocerites, 328.
denodocus, Papilio.
dendrophila, Aëdes (Stegomyia).
Dermatobia hominis, causing myiasis,

Dermatobia hominis, causing myiasis, 241, 249.

desertorum, Hypoderma.

designatus, Tabanus (see T. rufinotatus).

determinata, Musca (see M. nebulo). detritus, Aëdes (Ochlerotatus).

diana, Hypoderma.

diantaeus, Aēdes (Ochlerotatus).

Diaspis, 218.

boisduvali, on coconut in Mauritius, 187.
flacourtiae, on Flacourtia in

Seychelles, 128.

(Aulacaspis) pentagona, 128; food-plant of, in Formosa, 213; on peaches in Mauritius, 190.

Diatraea sacchariphaga (see Proceras).

dilatata, Chionaspis.

Dilophus febrilis, 232; Gregarine parasite of larva of, 231.

Dinoderus minutus, in stored maize in Mauritius, 184.

Dinomimetes, 328.

dipterocarpi, Alcides.

Dipterocarpus tuberculatus, new weevil bred from seeds of, in India, 167. disjunctus, Oestrus.

dispar, Heterogamus.

divergens, Simulium.

Diversinervus silvestrii, parasite of Coccus viridis in Mauritius, 188.

diversipes, Rhadinomerus.

Dociostaurus maroccanus, 159, note. domestica, Musca.

domesticus, Culex.

Donkeys, trypanosomiasis in, in Kenya Colony, 234.

dorsalis, Aëdes (Ochlerotatus).

dorsomaculata, Musca (see M. albomaculata).

dorsovittatus, Culex nemorosus (see Aëdes sticticus).

Drepanotermes daliensis, sp. n., in Australia, 373–375.

perniger, in Australia, 374–375.

, . rubriceps, 364, 367, 373, 376–378.

septentrionalis, sp. n., bionomics of, in Australia, 368, 372. Drepanotermes silvestrii, sp. n., bionomics of, in Australia, 364-371.

Drosophila, larva of, accidentally producing myiasis, 252.

dubium, Simulium hirsutum,

duplex, Pseudaonidia.

Dutch East Indies, mosquitos in, 70.

dux, Chrysomyia (see C. megacephala). dyari, Theobaldia.

Dysdercus, on cotton in Mauritius, 182.

Dysis, 474.

Earias insulana, on cotton in Mauritius, 182.

eatoni, Aëdes (Finlaya). echinus, Aëdes (Finlaya).

Ecculex, subgenus of Aëdes, 293, 322.

egregia, Osphilia.

Egypt, *Hippobosca camelina* on camels in, 122; mosquitos in, 264. Elephant, Oestrids infesting, 247, 248,

249.

elephantis, Cobboldia. elestëem, Tabanus (see T. rufinotatus).

Elk, Oestrid infesting, 250.

elongatus, Coccus. elutus, Anopheles.

emasculator, Bogeria.

Ephestia cautella, on ground-nuts in Mauritius, 186.

ephippium, Cuterebra.

Epipyrops fuliginosa, sp. n., parasitising Idiocerus in India, 466, 468. equi, Gastrophilus (see G. intestinalis). equina, Hippobosca.

equinum, Ŝimulium.

Ercta ornatalis, on sweet potato in Mauritius, 184.

Eriococcus graminis, Antonina crawii recorded as, 211.

Evistalis, characters of larva of, 258.

,, tenax, accidentally producing myiasis 252.
erythrocephala, Calliphora.

Ethiopian Region, mosquitos from, found in Palaearctic Region, 264.

Eucalymnatus tessellatus, food-plants of, in Mauritius, 185, 189.

eucalypti, Hamitermes.

Eucalyptus, termites infesting, in Australia, 394.

Eugenia, new weevils bred from, in India, 175, 177.

caryophyllata, new scale on, in Seychelles, 125.

eugeniae, Chionaspis; Phenacaspis.
euonymi, Aphis (see A. rumicis).

Euonymus, food-plant of Aphis rumicis, 81, 86, 87.

Eupristina verticillata, sp. n., from figs in Borneo, 38-40.

Europe, representative mosquitos of, 265.

eusirus, Microplitis.

eutaeniata, Musca (see M. humilis). Eutermes, not attacked by Iridomyrmex, 371.

tyriei, in Australia, 386.

euthyrrhini, Chalcis.

Euthyrrhinus meditabundus, bionomics of, on mangos in Australia, 63-66; new parasite of, 67

excrucians, Aëdes (Ochlerotatus).

fabae, Aphis (see A. rumicis). falciparum, Plasmodium.

Fannia, larva of, accidentally ducing myiasis, 252.

canicularis, causing myiasis, 241; found in bladder of man, 253; characters of larva of, 258, 260.

scalaris, characters of larva of, 258, 260.

Far East, mosquitos found in ports of, 401-409.

fasciata, Bogeria; Stegomyia (see Aëdes argenteus)

fasciatus, Culex.

fatigans, Culex.

febrilis, Dilophus.

Federated Malay States, new mosquitos in, 72, 79; mosquito larvae in, 91–97. fergusoni, Musca (see M. convexifrons). ferox, Leucotermes.

Aphiochaeta ferruginea, (see A. xanthina).

ficalbi, Culex (see Theobaldia fumipennis)

ficoides, Cerococcus.

Ficus spp., fig insects from, in Borneo,

Ficus retusa, Coccid on, in Japan, 212. ficus, Chrysomphalus..

Fig Insects, new, from Borneo, 35-40. Figs, bionomics of Ocnerogyia amanda

on, in Mesopotamia, 477. Fiji, new mosquito in, 79.

filamentosus, Pseudococcus.

filipes, Rachisoura (Culex).

finalis, Tabanus.

Finland, new mosquitos in, 306, 314. Finlaya, subgenus of Aëdes, 293, 317;

key to Palaearctic species of, 317. Fiorinia chinensis, sp. n., in China, 215, 216.

fioriniae on palm in U.S.A.,

japonica, food-plants of, in Formosa, 215.

Fiorinia juniperi, food-plants of, in Formosa, 215.

rubrolineata, 216. fioriniae, Fiorinia.

Flacourtia, Diaspis flacourtiae on, in Seychelles, 128.

flacourtiae, Diaspis (Aulacaspis).

flava, Cosmophila

flaviceps, Anopheles; Chrysomyia.

flavipes, Gastrophilus; Simulium.

flavirostris, Culex. flaviventris, Leptoconops.

flavocincta, Chrysops.

flavovirens, Culex.

Flax, Lepidopterous pests of, in Kenya Colony, 99-102.

flerowi, Anopheles pseudopictus.

fontenella, Bogeria.

Forcipomyia bipunctata, in Palestine, 115.

forestan, Rhopalocampta.

formicarius, Cylas.

Formosa, Coccids in, 211-220.

foveicollis, Agrilus.

fraseri, Aëdes (Stegomyia); Leptosomatomyia.

frater, Sympiezomias.

freyi, Aëdes (Ochlerotatus).

Fuchow, breeding-places of mosquitos at, 401.

fuliginosa, Epipyrops.

fuliginosus, Anopheles; Silvius (see S. notatus).

fulvicollis, Plecia.

fulvimedioides, Tabanus.

fulvimedius, Tabanus.

fulvithorax, Culicoides (Johannseniella).

fumipennis, Theobaldia (Culicella). fumosus. Mecistocerus.

funebris, Cuterebra.

funerea, Aëdes (Skusea).

fusculus, Culex (see Aëdes geniculatus). fuscus, Culex (Neoculex, Protomelanoconion); Opifex.

Galinosoga parviflora, food-plant of Phytometra orichalcea, 99.

gallii, Aëdes (see A. pullatus jugorum). Gardenia florida, Coccid on, in Japan, 212. Gasterophilus (see Gastrophilus).

Gastrimargus musicus, 162.

Gastrophilus equi (see G. intestinalis). flavipes, distribution of,

245.

gedoelsti, infesting zebra,

haemorrhoidalis, in horses, distribution of. 244 intestinalis, in horses, dis-

tribution of, 244; larva of, 261.

Gastrophilus intestinalis var. asininus, | Gyrostigma, larva of, 254.

intestinalis var. bengalensis, 244; egg of, 261. in Courland, lativentris,

245.

magnicornis, possibly identical with G. intestinalis var. bengalensis, 245.

nasalis (see G. veterinus). nigricollis, in Bessarabia, 245.

pecorum, in horses, distribution of, 245. pecorum zebrae, infesting

zebra, 245.

ternicinctus, infesting zebra, 245.

veterinus, in horses, distribution of, 245; larva of, 261.

gazellae, Hypoderma.

gedoelsti, Gastrophilus.

Gedoelstia cristata, infesting antelopes in Africa, 247.

hässleri, infesting antelopes in Africa, 247

Gelastorrhinus sagitta, breeding-places of, in Transcaspia, 154.

geniculatus, Aëdes (Finlaya).

germanus, Hamitermes.

Germany, Bibionid larvae attacking potatoes in, 232

germinatus, Mandalotus.

gibsoni, Musca.

glaphyroptera, Theobaldia.

globulus, Trigonogenius. gloveri, Lepidosaphes.

Glugea, infesting Bibionid larvae, 231. Glyphodes indica, on cucurbitaceous plants in Mauritius, 186.

Goats, Lipoptena caprina on, in Palestine, 124.

Gold Coast, new mosquito in, 74.

gossypiella, Platyedra. gossypii, Aphis

Gossypium herbaceum, Coccid on, in Japan, 212.

Grabhamia broquettii(see Aëdes dorsalis). grahami, Aëdes (see A. dorsalis).

graminis, Eriococcus.

grandis, Leptoconops; Rogenhofera. gravelyi, Megarhinus (Toxorhynchites). grisea, Bogeria.

grossipes, Cryptodus.

Ground-Nut (Arachis hypogaea), pests of, in Mauritius, 186.

Guava (Psidium), scale-insects on, in Mauritius, 182.

gurneyi, Philaematomyia (see Musca (Ptilolepis) inferior). guttularis, Culicoides.

conjugens, infesting rhinoceros in Africa, 245

meruensis, infesting rhinoceros in Africa, 245.

pavesii, infesting rhinoceros in Africa, 245. sumatrensis, infesting rhi-

noceros in East Indies. 245.

Haartebeeste, Oestrids infesting, in Africa, 246, 247

hackeri, Anopheles leucosphyrus.

Hadronotus antestiae, parasite of Antestia lineaticollis in Kenya Colony, 191-201.

Haematopota alluaudi, attacking cattle Kenya Colony, in 235.

> brunnescens, attacking ,, cattle in Kenya Colony, 235.

cilipes, in Siam, 432. hirta, attacking cattle in Kenya Colony, 235

pachycera, in Siam, 432. similis, attacking cattle in Kenya Colony, 235.

ugandae, attacking cattle in Kenya Colony, 235. validicornis (see H. pachycera).

Haemoproteus columbae, carried by Lynchia maura, 122

haemorrhoidalis, Gastrophilus.

halifaxi, Lutzia.

Hamitermes eucalypti, sp. n., bionomics of, in Australia, 385, 391-395.

> germanus, 383. herbertensis, 393.

latidens, 381

laurensis, 384, 386. meridionalis, 384, 386.

neogermanus, sp. n., in Australia, 390.

obtusidens, 382.

parvus, sp. n., in Australia, 378-381.

perplexus, sp.n., bionomics of, in Australia, 371, 381-388, 390, 395.

perplexus var. victoriensis, n., in Australia, 388.

Harpagomyia, 282. hässleri, Gedoelstia.

hayashi, Culex.

Heliothis (Chloridea) obsoleta, on flax in Kenya Colony, 99; food-plants of, in Mauritius, 182-186.

Helophilus, characters of larva of, 258. pendulus, accidentally producing myiasis, 252.

Hemichionaspis, considered a synonym of Pinnaspis, 214.

Hemileia vastatrix, on coffee in Mauritius, 187.

hemisphaerica, Saissetia.

Henicospilus antancarus, parasite of Sesamia vuteria in Mauritius, 184.

herbertensis, Hamitermes.

hermanii, Pseudogametes.

Herse convolvuli, on sweet potato in Mauritius, 184.

hesperidum, Coccus.

Heterodera vadicicola, food-plants of, in Mauritius, 183, 186.

Heterogamus, treated as a subgenus of Rhogas, 130.

dispar, 130, 132.

hewitti, Ceratosolen.

Hibiscus esculentus, food-plant of Chloridea obsoleta in Mauritius, 182.

> rosa-sinensis, Coccid on, in Japan, 212

hilaris, Tabanus (see T. tenens).

hilli, Mimeteomyia (see Rachisoura filipes); Musca (see M. ventrosa).

Hippobosca camelina, in Palestine, 122.

capensis, in Palestine, 122. equina, in Palestine, 121.

hippopotami, Rhinoestrus.

Hippopotamus, Oestrid infesting, in Africa, 247.

hirsuteron, Aēdes.

hirsutum, Simulium.

hirta, Haematopota. hispaniola, Anopheles (Myzomyia).

histrio, Cuterebra.

Hodgesia, 282.

Hollyhock, food-plant of Asterochiton vaporariorum in Britain, 359.

Holoconops, a subgenus of Leptoconops, 3, 21, 107, note.

hololeucus, Niptus.

hominis, Dermatobia

Horses, Oestrids infesting, 244, 245; Simulium attacking, in Palestine, 117

hortensis, Culex.

hortulanus, Bibio. humilis, Musca (see M. pumila).

hyalinipennis, Leptoconops (see L. bezzii).

Hypocera incrassata, parasite of larva of Bibio marci, 231

Hypoderma, characters of larva of, 255. actaeon, infesting red deer, 248.

Hypoderma bovis, distribution of, on cattle, 248; causing myiasis, 241, 248; larva of, 261

> corinnae, infesting gazelles in Africa, 248.

desertorum, in Egypt, 248. diana, infesting red deer,

gazellae, infesting gazelles in Africa, 248.

lineata, distribution of, on cattle, 248; larva of,

silenus, infesting donkeys in Egypt, 248.

hyrcanus, Anopheles.

ibicis, Lipoptena.

Icerya purchasi, food-plant of, in For-mosa, 211; on citrus and coffee in Kenya Colony, 103.

seychellarum, food-plants of, in Formosa, 211; food-plants of, in Mauritius, 185, 188, 189.

Idiocerus spp., natural enemies of, in India, 465-469.

Ilex crenata, new Coccid on, in Japan, 216.

immaculatus, Anopheles.

impudicus, Culex (Culiciomyia).

incrassata, Hypocera.

indefinitus, Anopheles rossi (see A. subpictus var. vagus).

indemnis, Bubaris.

India, new Braconidae in, 129-132: flies causing myiasis in, 239; houseflies in, 415-423; natural enemies of mango leaf-hoppers in, 465-469; new mosquitos in, 72, 73, 77; new weevils in, 165-180.

indianus, Tabanus.

indica, Glyphodes; Musca (Philaematomyia) (see M. cingalaisina).

indicus, Leptoconops. inferior, Musca

infulata, Cuterebra. innuitus, Aëdes (see A. alpinus).

insidiator, Tabanus. insignis, Musca (Philaematomyia) (see M. crassirostris).

insulana, Earias.

interruptus, Leptoconops; Oestrus.

intestinalis, Gastrophilus.

intrudens, Aëdes (Ochlerotatus).

inusitatus, Aspidiotus. iota, Pseudaonidia.

Iridomyrmex sanguineus, relation of, to termites in Australia, 371, 388.

irritans, Leptoconops; Lyperosia. Italy, Culicoides susae in, 112.

jacobsoni, Blastophaga. janata, Achaea.

Janthinosoma lutzi, carrying eggs of Dermatobia hominis, 249.

> musica (see Psorophora posticata).

Japan, Coccids in, 211, 215-217; new mosquitos in, 274, 327, 338; mosquitos found in ports of, 401-409.

japonica, Fiorinia; Lepidosaphes; Mytilaspis pomorum (see Lepidosaphes).

japonicus, Aëdes (Finlaya). Java, Coccids in, 212, 213.

jenseni, Culex (Cyathomyia, Lophoceratomyia).

johannis, Bibio.

Johannseniella fulvithorax (see Culicoides).

jugorum, Aëdes pullatus (Culex). juniperi, Fiorinia.

karwari, Anopheles.

kasauliensis, Musca (see M. ventrosa).

Kashmir, house-flies in, 423.

kempi, Megarhinus (Toxorhynchites). Kenya Colony, bionomics of Chrysomphalus aurantii in, 103-104; bionomics of parasites of the coffee bug in, 191-201; trypanosomiasis in the absence of Glossina in, 233-236; Lepidopterous pests of flax in, 99-102; human disease possibly carried by Simulium in, 236-238.

kertészi, Leptoconops.

Kirkioestrus spp., infesting antelopes in Africa, 247.

klossi, Megarhinus (Toxorhynchites). Kobe, breeding-places of mosquitos

at, 406. kochi, Anopheles.

koreicus, Āēdes (Finlaya).

Lachnosterna smithi, food-plants of, in Mauritius, 184, 185.

lacinia, Pseudaonidia.

lacteipennis, Bibio; Leptoconops.

lacteus, Coptotermes.

Laingia psammae, gen. et sp. n., on grasses in Britain, 429.

lambens, Sarcophaga.

Lampides boetica, on Cajanus indicus in Mauritius, 185.

lapathi, Cryptorrhynchus.

larvipara, Musca.

lataniae, Aspidiotus. laticinctus, Culex.

latidens, Hamitermes.

latiparafrons, Musca (see M. gibsoni).

lativentris, Gastrophilus.

laurae, Leptoconops (see L. kertészi).

laurensis, Hamitermes.

laurenti, Culex.

lazarensis, Aēdes. leicesteri, Megarhinus.

Leicesteria annulipalpis, in Sumatra,

lepidonotus, Aēdes (Ochlerotatus). Lepidosaphes beckii, food-plant of, in

Formosa, 216. ,, gloveri, on citrus in Mau-

ritius, 188.

japonica, food-plant of, in

Japan, 217.

,, tubulorum, sp. n., foodplant of, in Formosa and Japan, 216.

ulmi, L. tubulorum recorded as, 217.

Lepidotomyia lineata (see Aëdes funerea var. ornata).

Leptoconops, revision of genus, 1–28; key to females of, 27.

bezzii, 2; anatomy of, 19; description of, 17.

braziliensis, anatomy of, 8, 19; description of, 13. flaviventris, description of,

grandis, sp. n., anatomy of, 9, 19; description of, 12.

hyalinipennis (see L. bez-zii).

, indicus, description of, 19.

interruptus, 23.

irritans, bionomics of, 3; description of, 14; not experimentally infected with malaria, 4.

kertészi, bionomics of, 4; anatomy of, 19; description of, 21; in Palestine, 107.

kertészi var. americanus, n., anatomy of, 5-9, 19; description of, 22.

kertészi var. peneti, 6; description of, 22.

lacteipennis, anatomy of, 9; description of, 23. laurae (see L. kertészi).

omy of, 9, 19; description of, 11.

rhodesiensis, sp. n., anatomy of, 6, 9; description of, 14.

siamensis, sp. n., anatomy of, 6, 8, 9, 19; description of, 20.

Leptoconops spinosipes (see Acanthoconobs albiventris).

stygius, 1; description of, 10; anatomy of, 6, 8, 9, 19.

torrens, 1, 15-17; anatomy of, 6, 8, 9, 19.

Leptosomatomyia fraseri, 286.

lesnei, Ochlerotatus,

leucocnematus, Tabanus (Atylotus).

leucomelas, Culex.

Leucomyia annulata, new name suggested for, 78, note.

annulirostris (see Culex taylori).

leucosphyrus, Anopheles.

Leucotermes clarki, sp. n., in Australia, 395-398.

> ferox, in Australia, 398. paradoxus, in Australia, 363.

validus, in Australia, 398. lewisi, Anopheles (see A. maculipennis). Lime (Citrus medica var. acida), pests of, in Mauritius, 187.

lindesayi, Anopheles.

lineata, Hypoderma; Lepidotomyia (see Aëdes funerea var. ornata); Musca (Pristirhynchomyia).

lineaticollis, Antestia.

lineatum, Simulium (see S. maculatum). lineatus, Tabanus (see T. rufinotatus). Lipoptena caprina, sp. n., on goats in Palestine, 122, 124.

cervi, 124.

chalcomelaena, on goats in Palestine, 124.

ibicis, possibly a synonym of L. chalcomelaena, 124.

Litchi (Nephelium), scale-insects on, in Mauritius, 182.

litura, Prodenia. livornica, Deilephila.

Locusta, revision of genus, 135-163.

(Pachytylus) brasiliensis (see Locusta migratoria ph. danica).

capensis (see Locustana pardalina).

danica, considered to be a phase of L. migratoria, 137.

migratoria, bionomics and migrations of forms of, 135-163; dimensions of phases of, 139; key to phases of, 161.

migratorioides, considered to be a phase of L. migratoria, 150.

pardalina (see Locustana). sulcicollis (see Locustana pardalina).

Locustana, gen. n., erected for Locusta pardalina, 137, 162.

Locustana pardalina, bionomics of, in South Africa, 155-159: key to phases of, 163.

pardalina solitaria, ph. n., 163.

Locusts, biology and migrations of, 143-148.

longiareolata, Theobaldia (Allotheobaldia).

longicornis, Leptoconops.

Lophoceratomyia, a subgenus of Culex, 328; Cyathomyia a synonym of, 79.

curtipalpis (see Culex jenseni).

loxodontis, Cobboldia.

Lucilia, characters of larvae of, 258,

argyricephala, causing myiasis, 239, 250; larva of, 254, 255.

caesar, causing myiasis, 250. serenissima (see L. argyrice-

phala).

sericata, causing myiasis, 240, 250; larva of, 254, 255,

tasmaniensis, causing myiasis, 250.

ludlowi, Anopheles.

lukisi, Anopheles (see A. algeriensis).

lunata, Chilomenes. lusoria, Musca.

lutescens, Aëdes (Ochlerotatus).

luteus, Culex. lutzi, Janthinosoma.

Lutzia concolor, 327.

,, halifaxi, 327. tigripes, 337.

vorax, sp. n., in Japan, 327; breeding-places of, in Japanese ports, 405-406; anatomy of, 285, 292.

Lynchia maura, on pigeons in Palestine, 122.

Lyperosia irritans, in Palestine, 121.

minuta, in Palestine, 121. lysimon, Zizera.

macdonaldi, Oestrus.

macellaria, Cochliomyia (Chrysomyia). Macrosiphum picridis, on artichoke in Mauritius, 186.

macrotis, Cephenomyia.

maculata, Cephalomyia (see Cephalopsis titillator).

maculatum, Simulium.

maculatus, Aëdes (Ochlerotatus); Anopheles.

maculipalpis, Anopheles.

maculipennis, Anopheles; Plutella.

maculiventris, Culex (see dorsalis). maculosa, Cuterebra. magnicornis, Gastrophilus. magnifica, Wohlfahrtia. maidis, Aphis. Maize, pests of, in Mauritius, 183. Malaria, Leptoconops irritans not experimentally infected with, 4; digenous cases of, in England, 209. malefactor, Anopheles. Mallococcus sinensis, in China, 212. malloti, Rhadinomerus. Mallotus japonica, Coccid on, in Japan, 212. philippinensis, new weevil bred from, in India, 176. Man, Diptera producing myiasis in, 239-261; disease of, probably conveyed by Simulium, 236-238. Mandalotus germinatus, in termite nests, 371. mandersi, Nacaduba. mangiferae, Coccus; Cryptorrhynchus. Mango, Euthyrrhinus meditabundus and termites on, in Australia, 63-66, 371; pests of, in Mauritius, 182, 189. Mango Leaf-hopper (see *Idiocerus*). Manioc (Manihot utilissima), pests of, in Mauritius, 184. Mansonioides, subgenus of Taeniorhynchus, 291. marci, Bibio. marginale, Chrysomyia. mariae, Aëdes (Ochlerotatus). marocanus, Culex annulatus (see Theobaldia longiareolata). maroccanus, Dociostaurus. mashonaensis, Uranotaenia. Mastotermes darwinensis, attacking mango, etc., in Australia, 63, 371. matteiana, Procontarinia. maura, Lynchia mauritia, Spodoptera. mauritianus, Anopheles. mauritii, Stauropodoctonus. Mauritius, Coccids in, 213; pests of minor crops in, 181-190. Mecistocerus, Rhadinomerus compared with, 170. fumosus, sp. n., on Pinus longifolia in India, 168meditabundus, Euthyrrhinus. megacephala, Chrysomyia; Pheidole. megalops, Tabanus (see T. tenens).

Aëdes | Megarhinus (Toxorhynchites) kempi, sp. n., in India, 72. (Toxorhynchites) klossi, sp. n., in Federated Malay States, 72. leicesteri, 72. regius, 285 rutilus, 285 towadensis, in Palaearctic Region, 285. megastoma, Cuterebra. meigenanus, Aëdes (Ochlerotatus) punctor mella, Tachina. Melons, pests of, in Mauritius, 186. meridionalis, Culex; Hamitermes. meruensis, Gyrostigma. Mesopotamia, Lepidopterous pests in, 477-479; mosquitos in, 264. mesopotamiae, Anopheles hyrcanus. metalepticus, Aēdes (see A. pullatus jugorum). Michelia fuscata, Coccids on, in Formosa, 213, 220. Micraëdes, a subgenus of Culex, 328.Microplitis eusirus, sp. n., parasite of Achaea janata in India, similis, sp. n., parasite of Agrotis ypsilon in India, 129. spectabilis, 129. microptera, Stegomyia. migratoria, Locusta. migratorioides, Locusta. Mimeteomyia hilli (see Rachisoura filipes). mimeticus, Culex. mimulus, Culex. minimus, Anopheles. minor, Musca (see M. pumila); Pinnaspis; Pternoscirta (Pachytylus). minuta, Lyperosia; Musca. minutus, Dinoderus; Kirkioestrus. miscanthi, Pygalataspis. Miscanthus sinensis, new Coccid on, in Formosa, 218. modestus, Culex (Barraudius). molestus, Culex. moluccensis, Anopheles punctulatus. montanus, Anopheles albotaeniatus. morio, Alcides. morsitans, Theobaldia (Culicella). Morus alba, Coccids on, in Japan, 211, 213, 219. Mosquito Larvae, function of caudal tufts of, 91-97; in saline waters, 29-34; destroyed by Tabanid larvae, 22. Larvicides, 32.

Megarhinus brevipalpis, 285.

christophi, in Palaearctic Region, 285.

(Toxorhynchites) gravelyi, sp. n., in India, 73.

Mosquitos, classification and new species of, 69; breeding-places of, in Britain, 205-209, 427; of Far Eastern ports, 401-409; from the Palaearctic Region, 263-351; keys to, 269, 276, 281, 286, 293-295, 296-299, 317, 324, 329-331; bibliography of Palaearctic, 348; index of specific and varietal names of, 350. mucronata, Schneideria. multicolor, Anopheles (Myzomyia). Murraya exotica, Coccids on, in Japan, 212, 216. Musca, notes on genus, 411-426. albina, 423. albomaculata, distribution of, 420. angustifrons (see M. humilis). australis (see M. convexifrons). autumnalis, 121; bionomics of, in England, 421 bezzii, in India, 421. bivittata (see M. humilis). cingalaisina, distribution of, 422.conducens (see M. humilis). . . convexifrons, in Australasia, 425. corvina (see M. pumila). (Philaematomyia) crassirostris, in Palestine, 120; characters of larva of, 254; distribution of, 423 determinata (see M. nebulo). domestica, 121; atypical form Australasia, 424; of, in atypical form of, in India, 416; list of synonyms of, 418; discussion as to worldwide distribution of, 411-414; characters of larva of, 254, 257, 258. dorsomaculata (see M. albomaculata). eutaeniata (see M. humilis). fergusoni (see M. convexifrons). gibsoni, in India, 420. hilli (see M. ventrosa). humilis, bionomics and distribution of, 417-419; synonymy of, 417; characters of larva of, 254. (Philaematomyia) indica (see M. cingalaisina).

inferior, in India, 422.

M. crassirostris).

lineata, in India, 422.

larvipara, 421.

lusoria, 425.

minuta, 423. nebulo, an Oriental species, 414. 415; characters of larva of, 254, 257. negriabdomina, 423. nigrithorax (see M. ventrosa). niveisquama (see M. humilis). pattoni, in India, 420. pilosa (see M. bezzii). pollinosa (see M. cingalaisina). praecox (see M. humilis). primitiva (see M. humilis). promisca (see M. humilis). pumila, in Australasia, 424; in India, 419. pungoana (see M. ventrosa). setigera (see M. albomaculata). speculifera, 423. spinohumera, bionomics of, in India, 421. spinosa (see M. pattoni). striatecta, 423. tempestiva, in Kashmir, 423. terrae-reginae, in Australasia, 425. ventrosa, in Australasia, 425; in India, 419. vetustissima (see M. pumila). vicaria (see M. domestica) vitripennis, in Kashmir, 423. xanthomela (see M. ventrosa). musica, Janthinosoma (see Psorophora posticata). musicus, Culex; Gastrimargus. Mycterotypus, 1; synonym of Leptoconops, 3. Myiasis, Diptera producing, in man and animals, 239-261. Myrica rubra, Coccid on, in Japan, 212. Mytilaspis pomorum (see Lepidosaphes ulmi). pomorum var. japonica (see Lepidosaphes japonica) Myzomyia, subgenus of Anopheles, 275. Nacaduba mandersi, on Cajanus indicus in Mauritius, 185. Nagasaki, breeding-places of mosquitos at, 404 nasalis, Gastrophilus (see G. veterinus). nearcticus, Aēdes (Ochlerotatus) (see A. alpinus). neavei, Simulium. (Philaematomyia) insignis (see nebulo, Musca. nebulosa, Culiciomyia. kasauliensis (see M. ventrosa). negriabdomina, Musca. nemorosus, Aëdes (Ochlerotatus). latiparafrons (see M. gibsoni). Neoculex (see Culex). neogermanus, Hamitermes. nephodes, Tabanus (Atylotus).

Musca minor (see M. pumila).

New Zealand, Opifex fuscus in, 73, 74. | Oestrus macdonaldi, infesting antelopes newsteadi, Culicoides. nicaensis, Culex. Nigeria, new Simuliids in, 459-463, nigra, Saissetia; Stomoxys. nigricans, Cuterebra. nigricollis, Cercyonia; Gastrophilus. nigrina, Culicada (see Aëdes sticticus). nigritarsis, Tabanus. nigrithorax, Musca (see M. ventrosa). nigritulus, Culex (see C. pipiens). nigrocincta, Cuterebra. nigropunctata, Crioceris. nigrotectus, Tabanus (Bellardia). nipponii, Aëdes vexans. Niptus hololeucus, 133. nivarleti, Rhinoestrus. niveisquama, Musca (see M. humilis). niveitaeniata, Theobaldia (Pseudotheobaldia). niveus, Aëdes (Finlaya); Culex. niveosparsus, Idiocerus. notata, Scatopse. notatus, Silvius.

obovata, Aspidomorpha. obscurus, Aēdes (see A. communis); Calotermes obsoleta, Heliothis (Chloridea). obturbans, Armigeres. obtusa. Aonidia. obtusidens, Hamitermes. occidentalis, Anopheles (see A. maculipennis). Ochlerotatus, key to Palaearctic species of, 296-299; subgenus of Aëdes, 293, 295; q.v. annulifemur (see Stegomyia periskeleta). Ocnerogyia amanda, bionomics of, on figs in Mesopotamia, 477. octoguttalis, Thliptoceras. octoguttatus, Botys. odiatus, Culicoides. odibilis, Culicoides. Odina wodier, new weevil bred from, in India, 180 odinae, Osphilia. Odonaspis, Pygalataspis resembling, 218. penicillata, food-plant of, in Japan, 219.

Oedemagena tavandi, infesting reindeer in Scandinavia, 248. Oestrus aureo-argentatus, infesting ante-

lopes in Africa, 247.

compositus, infesting antelopes in Africa, 247.

disjunctus, infesting antelopes in Africa, 247.

interruptus, infesting antelopes in Africa, 247.

in Africa, 247.

ovis, infesting sheep, 244, 246; characters of larva of, 255.

variolus, infesting haartebeeste, 246.

oleae, Argopistes; Saissetia.

Olives, new Coleopterous pests of, in South Africa, 474, 475.

Opifex fuscus, considered to be a Culicine, 73; description of, 73, 74. Opuntia, extract of, as an adhesive in insecticides, 185.

orichalcea, Phytometra.

Oriental Region, mosquitos from, found in Palaearctic Region, 264.

orientalis, Culex

ornata, Aëdes (Skusea) funerea.

ornatalis, Ercta.

Orthopodomyia albionensis (see O. pulchripalpis).

pulchripalpis, in Palaearctic Region, 290.

Ovyctes tarandus, bionomics of, on coconut in Mauritius, 187.

oryzae, Calandra. osakensis, Culex (see C. pipiens).

Osphilia brevirostris, in Ceylon, 180. ,, egregia, in Burma, 180.

odinae, sp. n., bred from forest trees in India, 179.

ovis, Oestrus.

Oxya turanica, breeding-places of, in Transcaspia, 154.

pachycera, Haematopota. Pachytylus (see Locusta).

australis, a synonym of Locusta migratoria ph. danica, 162

capito, a synonym of Locusta migratoria ph. migratorioides, 162

minor (see Pternoscirta). Palaearctic Region, mosquitos of, 263-

Palaeopsyche, 468.

Palestine, blood-sucking Diptera of, 107-124; mosquitos in, 264.

palestinensis, Anopheles (Pyretophorus) (see A. superpictus).

pallens, Culex (see C. pipiens).

pallidothorax, Culiciomyia.

pallipes, Culex.

palmeni, Aëdes (Ochlerotatus) (see A. communis).

palmeri, Simulium.

paludis, Anopheles (see A. mauritianus). panayensis, Aëdes

Pandanus seychellarum, Pinnaspis buxi on, in Seychelles, 127.

papatasii, Phlebotomus. papaveris, Aphis (see A. rumicis). Papilio demodocus, on citrus in Mauritius, 188. phorbanta, on citrus in Mauritius, 188. paradoxus, Leucotermes. parcus, Rhadinopus. pardalina, Locustana (Locusta). Parlatoria pergandei, food-plants of, in Formosa, 214. zizyphi, food-plant of, in Formosa, 214. on, 122 partitus, Tabanus (see T. striatus). parumspinosa, Cobboldia. parvulus, Aëdes (Ochlerotatus). parvus, Hamitermes. patagona, Cuterebra. pattoni, Musca. pavesii, Gyrostigma. Peaches, pests of, in Mauritius, 190. Peas (Pisum sativum), pests of, in Mauritius, 186. pecorum, Gastrophilus. Pelamia repanda (see Remigia). pembaensis, Aëdes (Skusea). pipiens, Culex. pendulus, Helophilus. peneti, Leptoconops kertészi. penicillata, Odonaspis. pentagona, Diaspis (Aulacaspis). percurrens, Rhogas (Heterogamus). peregrina, Schistocerca. perexiguus, Culex. pergandei, Parlatoria. periskeleta, Stegomyia. perniger, Drepanotermes. perplexus, Hamitermes. persicus, Anopheles (Myzomyia) turkhudi. pfeifferi, Xanthogramma. phacochoeri, Rhinoestrus. pharoensis, Anopheles (Myzomyia). phaseoli, Agromyza. Pheidole megacephala, 64. Phenacaspis eugeniae, food-plant of, in Formosa, 213. Philaematomyia, characters of larva of, ulmi). 258; (see Musca). gurneyi (see Musca (Ptilolepis) inferior). Phlebotomus minutus var. africanus, in Palestine, 119. papatasii, 115; in Palestine, 118. phobifer, Cephenomyia. phorbanta, Papilio. Phormia, characters of larva of, 258. regina, causing myiasis, 250;

larva of, 255.

Phytalus smithi (see Lachnosterna).

Phragmites communis, locusts breeding amongst, in Transcaspia, 143, 154.

Phytometra chalcytes, food-plants of, in Mauritius, 183. orichalcea, bionomics and control of, on flax in Kenya Colony, 99-102; food-plants of, in Mauritius, 183, 186. Phytophaga, new injurious species of, from Africa, 473-475. picridis, Macrosiphum. pictus, Anopheles (see A. hyrcanus). Pigeons, distribution of Lynchia maura Pigs, Oestrid infesting, in Africa, 247. pilosa, Musca (see M. bezzii). Pinnaspis buxi, food-plants of, in Seychelles, 127. minor, sp.n., food-plants of, in Formosa, 214. simplex, sp. n., in China, 214. Pinus longifolia, new weevil bred from, in India, 170. thunbergii, Coccid on, in Formosa, 215. pionips, Aëdes. Pipunculus annulifemur, sp. n., parasite of Idiocerus in India, 465, 469. Plasmodium spp., Leptoconops experimentally infected with, 5. Platyedra gossypiella, on Cajanus indicus in Mauritius, 182, 185. Plecia fulvicollis, 232. plinthopyga, Sarcophaga. plumbeus, Anopheles. Plusia (see Phytometra). Plutella maculipennis, on cabbage in Mauritius, 186. Podocarpus chinensis, Coccid on, in Formosa, 215. Pollenia stygia, causing myiasis, 250; larva of, 253. pollinosa, Musca (see M. cingalaisina). pomonae, Bibio. pomonella, Cydia. pomorum, Mytilaspis (see Lepidosaphes Poppy, food-plant of Aphis rumicis, 81. Porpe bjerkandrella, on artichoke in Mauritius, 186. posticata, Psorophora. Potassium Bitartrate, beetles apparently feeding on, 133. Potato, attacked by Bibionid larvae, 232; food-plant of Phytometra orichalcea, 99. praecox, Musca (see M. humilis). praematurus, Tabanus. pratti, Cephenomyia. primitiva, Musca (see M. humilis). princeps, Bogeria.

priscus, Tabanus.

Pristirhynchomyia lineata (see Musca). Proceras sacchariphaga, on maize in Mauritius, 184 Procontarinia matteiana, on mango in Mauritius, 189. Prodenia litura, food-plants of, in Mauritius, 181, 183, 184, 187. promisca, Musca (see M. humilis). Protomelanoconion, 79. fuscum, referred to subgenus Neoculex, 79.

Psamma arenaria, new Aphid on, in Britain, 430. psammae, Laingia. psarophanes, Silvius (see S. notatus). Pseudaonidia aldabraca, sp. n., in Seychelles, 125. duplex, food-plant of, in Formosa, 220. iota, sp. n., on Eugenia caryophyllata in Seychelles, 125. lacinia, 125 tesserata, 126. trilobitiformis, food-plant of, in Formosa, 220; food-plant of, in Mauritius, 188, 189. Pseudococcinella sexvittata (see Argopistes). Pseudococcus calceolariae, on groundnuts in Mauritius, 186. citri, food-plant of, in Formosa, 211; on citrus in Mauritius, 188. comstocki, food-plant of, in Formosa, 211. filamentosus, food-plant of, in Formosa, 211; on citrus in Mauritius, vastator (see P. filamentosus). virgatus, food-plant of, in Formosa, 211.

Pseudogametes hermanni, infesting mice in Brazil, 249. semiatra, infesting mice in Brazil, 249. pseudonigeria, Aëdes (Stegomyia). pseudopictus, Anopheles (see A. hyrcanus). pseudopunctipennis, Anopheles. Psorophora posticata, oviposition of, in Trinidad, 481. Pternoscirta minor, 162. Ptilolepis (see Musca). Ptinus tectus, breeding in stored products, 134

pugiunculus, Tabanus.

pugnax, Tabanus.

pulcherrimus, Anopheles (Myzomyia). pulchripalpis, Orthopodomyia. pulchritarsis, Aëdes (Ochlerotatus). pulicaris, Culicoides. pullatus, Aëdes. pumila, Musca pumilus, Culicoides. Pumpkins, pests of, in Mauritius, 186. punctibasis, Anopheles. punctipes, Aëdes (Skusea). punctor, Aëdes. punctulatus, Anopheles. punctum, Cratopus. pungoana, Musca (see M. ventrosa). purchasi, Icerya. puripennis, Culicoides. purpurata, Rachionotomyia. purpureus, Rhinoestrus. pusillus, Culex (Barraudius). Pycnosoma bezziana (see Chrysomyia). Pygalataspis, gen. nov., 218. miscanthi, sp. n., on Miscanthus sinensis in Formosa, 218, 219. pyophila, Sarcophaga. Pyretophorus (see Anopheles). Pyrilloxenos compactus, parasite Idiocerus in India, 465 Pyroderces simplex, on cotton Mauritius, 182 quadrimaculata, Calliphora.

quadrimaculata, Calliphora. quadrimaculatus, Anopheles. quasigelidus, Culex. quasimodestus, Culex (see C. pipiens). quasiornata, Rachionotomyia (Stegomyia). quatuordecimpunctata, Crioceris.

Rachionotomyia senea, sp. n., in Federated Malay States, 79.

,, bambusa, in Palae-arctic Region, 284; anatomy of, 284.

bimaculipes, 79, 80.

purpurata, sp. n., in Fiji, 79, 80.

quasiornata, in Australia, 80.

similis, 79.

similis, 79.
Rachisoura filipes, synonymy of, 79.
"sylvestris (see R. filipes).
radicicola, Heterodera.
Rape, food-plant of Phytometra orichalcea, 99.
Red Scale (see Chrysomphalus aurantii).
regina, Phormia.
regius, Megarhinus.
Reindeer, Oestrids infesting, 248, 250

Remigia repanda, on Vigna catjang in Mauritius, 186.

repanda, Remigia (Pelamia).

Rhadinomerus, compared with Mecistocerus, 170.

, bombacis, sp. n., in
Bombax malabaricum
in India, 170–172.

diversipes, sp. n., bred from forest trees in India, 172–175.

malloti, sp. n., on Mallotus philippinensis in India, 175.

subfasciatus, sp. n., infesting forest trees in India, 176.

Rhadinopus buteae, sp. n., on Butea frondosa in India, 177.
,, centriniformis, 178.

consputus, 178. parcus, 178.

Rhinoceros, Oestrids infesting, 245.

Rhinoceros sumatrensis, Tabanid attacking, in Malaya, 449.

Rhinoestrus hippopotami, infesting hippopotamus in Africa, 247.

,, nivarleti, infesting pigs in Africa, 247.

,, phacochoeri, infesting wart hog in Africa, 247.

,, purpureus, causing myiasis, hosts and distribution of, 247.

Rhinotermes, 363.

Rhodesia, new Leptoconops in, 14. rhodesiensis, Anopheles (Myzomyia); Leptoconops.

Rhogas (Heterogamus) percurrens, sp. n., parasite of Achaea janata in India, 131

Rhopalocampta forestan, on Canavalia ensiformis in Mauritius. 185.

rhynchias, Argyroploce.

richiardii, Taeniorhynchus (Coquillettidia).

rodhaini, Cordylobia (Stasisia).

Roe-deer, Oestrid infesting, 250.

Rogenhofera spp., infesting mice in South America, 249.

Rosa damascena, pests of, in Bulgaria, 353.

rosae, Aulacaspis.

Rose, Coccid on, in Formosa, 213; attacked by *Agrilus foveicollis* in Bulgaria, 353–354.

rostochiensis, Aëdes (Ochlerotatus) cataphylla.

Rubber, scale-insects on, in Mauritius, 182.

rubens, Ceroplastes.

rubicundulus, Tabanus.

rubidus, Tabanus.

rubriceps, Drepanotermes.

rubrolineata, Fiorinia.

rubus, Batocera.

ruficornis, Sarcophaga.

rufifacies, Chrysomyia (see C. albiceps). rufinotatus, Tabanus.

rufipes, Aphiochaeta. rufiventris, Cuterebra.

rufus, Culex (see C. pipiens).

Rumex, food-plant of Aphis rumicis, 87. rumicis, Aphis.

Russia, breeding-places of locusts in, 155.

rusticus, Aëdes (Ochlerotatus). rutilus, Megarhinus.

sacchariphaga, Proceras (Diatraea).

sacharovii, Anopheles. sagitta, Gelastorrhinus.

Saissetia hemisphaerica, food-plant of, in Formosa, 212; on citrus and coffee in Kenya Colony, 103; food-plants of, in Mauritius, 182, 184, 187, 188.

,, nigra, on citrus and coffee in Kenya Colony, 103; foodplants of, in Mauritius, 182, 187.

,, oleae, on citrus in Mauritius,

salina, Culicada nemorosa (see Aĕdes sticticus).

Saline Waters, mosquitos breeding in, 29-34.

salinellus, Aëdes (Ochlerotatus).

Salix warburgi, new Coccid on, in Formosa, 216.

salus, Culex (see C. sitiens). sanguineus, Iridomyrmex.

Sapium sebiferum, new Coccid on, in

Formosa, 216.
Sarcophaga, producing myiasis in India,
239; characters of larvae of, 255, 256, 258,

vae of, 255, 256, 258, 260; larviparous habit of, 261.

, chrysostoma, causing myiasis, 250, 251.

, lambens, causing myiasis in South America, 251.

,, plinthopyga, causing myiasis, 250, 251.

,, pyophila, causing myiasis in South America, 251. ,, ruficornis, causing myiasis,

sarcophagoides, Cuterebra. scalaris, Fannia. Scatopse, parasitised by Agyrtes bicolor, notata, 232. Schistocerca peregrina, 159, note. Schizoconops (see Leptoconops). schmalzi, Ĉuterebra. Schneideria mucronata, infesting Bibionid larvae, 231. scudderi, Bogeria. scutellaris, Aëdes (Stegomyia) (see A. albopictus). Selenaspidus articulatus, on citrus and coffee in Kenya Colony, 103, 104. selengensis, Anopheles (see A. maculipennis). semiatra, Pseudogametes. semicantans, Aëdes (Ochlerotatus). separatus, Anopheles. septentrionalis, Drepanotermes. serenissima, Lucilia (see L. argyricephala). sergenti, Anopheles (Myzomyia); Culex. sericata, Lucilia. Sesamia vuteria, bionomics of, on maize in Mauritius, 183. setigera, Musca (see M. albomaculata). sexvittatus, Argopistes (Pseudococcinella). seychellarum, Icerya. Seychelles, Coccidae in, 125-128. Shanghai, breeding-places of mosquitos at, 403. Sheep, Oestrids infesting, 244, 246. Shorea robusta, new weevils bred from, in India, 175, 177. Siam, new Leptoconops in, 20; Tabanids of, 431-455. siamensis, Leptoconops; Tabanus. Siberia, new mosquito in, 308 siberiensis, Culiseta (see Theobaldia alaskaensis). sicarius, Tetrastichus. Sida, Chionaspis subcorticalis on, in Seychelles, 127. silenus, Hypoderma. silvestrii, Diversinervus; Drepanoter-Silvius fuliginosus (see S. notatus). notatus, 55; bionomics of, in Australia, 59–62.

psarophanes (see S. notatus).

alcocki, sp. n., in Nigeria,

alcocki var. coalitum, n., in

alcocki var. violaceum, n., in Nigeria, 460.

simplex, Pinnaspis; Pyroderces (Ana-

Nigeria, 460.

Microplitis;

Haematopota;

Rachionotomyia.

trachyntis)

Simulium, 1

simpsoni, Culex.

similis,

Simulium aureosimile, 461. beckeri, in Algeria, 117. divergens, sp. n., in Nigeria, 460. equinum, attacking horses in Palestine, 117. flavipes, sp. n., in Palestine, 116. hirsutum, sp. n., in East Africa, 458, 460. hirsutum var. adersi, n., in Zanzibar, 459. hirsutum var. dubium, n., in East Africa, 459. lineatum (see S. maculatum). maculatum, 4. neavei, 461; possibly carrying human disease in Kenya Colony, 236-238. palmeri, sp. n., in Nigeria, unicornutum, in Nigeria, 462. vorax, sp. n., in East Africa, 461 sinensis, Anopheles (see A. hyrcanus); Culex; Mallococcus. sinicus, Tabanus. Sipha, Laingia allied to, 429. sitiens, Culex. smithi, Lachnosterna (Phytalus). solani, Coelonia (Sphinx). sordidus, Cosmopolites. spathipalpis, Culex (see Theobaldia longiareolata). spectabilis, Microplitis. speculifera, Musca. Sphinx convolvuli (see Herse). ,, solani (see Coelonia). spinohumera, Musca. spinosa, Musca. spinosifrons, Acanthoconops. spinosipes, Leptoconops (see Acanthoconops albiventris). Spodoptera mauritia, food-plants of, in Mauritius, 181, 183. Stasisia rodhaini (see Cordylobia). Stauropodoctonus mauritii, parasite of Sesamia vuteria in Mauritius, 184. Stegomyia, key to Palaearctic species of, 324; a subgenus of Aëdes, 293, 324; q.v. hilli (see Rachisoura filipes). quasiornata (see Rachionotomyia). microptera, 77. periskeleta, 77. stellifera, Vinsonia. stephensi, Anopheles (Myzomyia). sticticus, Aëdes (Ochlerotatus). stimulator, Cephenomyia. Stomoxys, possibly transmitting trypanosomiasis to cattle, 236. Stomoxys calcitrans, attacking cattle in Kenya Colony, 235; in Palestine, 121.

> nigra, attacking cattle in Kenya Colony, 235.

varipes, attacking cattle in Kenya Colony, 235.

striatecta, Musca

striatus, Ceratosolen; Tabanus.

stygia, Pollenia.

stygius, Leptoconops.

subcorticalis, Chionaspis.

subfasciata, Rhadinomerus.

subochrea, Theobaldia.

Sudan, new mosquito in, 69.

Sugar-cane, Aulacaspis tegalensis on, in Formosa, 213.

sugens, Aëdes (Stegomyia) (see A. vittatus).

sulcicollis, Locusta (see Locustana pardalina)

sumatrensis, Gyrostigma.

Sunflower, food-plant of Asterochiton vaporariorum in Britain, 359.

superpictus, Anopheles (Myzomyia).

surcoufi, Kirkioestrus.

susae, Culicoides.

Sweet Potato (Ipomoea batatas), pests of, in Mauritius, 184.

sygmoides, Dacus.

sylvae, Culex nigripes (see Aëdes sticticus).

sylvestris, Rachisoura (see R. filipes). Sympiezomias beesoni, sp. n., on teak in India, 165.

frater, 166.

Tabanidae, bionomics of, in Australia, 41-62; new species of, in Siam, 431 - 455

Tabanus, key to Siamese species of, 433-435.

albimedius (see T. priscus).

agnoscibilis, sp. n., in Siam,

aprepes, bionomics of, in Australia, 41-53

barnesi, sp. n., in Siam, 435-

batchelori (see T. aprepes).

brunnipennis, in Siam, 444. cinerascens, in Java, 453.

designatus (see T. rufinotatus).

elestëem (see T. rufinotatus).

finalis, in Siam, 442, fulvimedioides, in Formosa,

451. fulvimedius, in Formosa, 451.

hilaris (see T. tenens). ,,

indianus, distribution of, 444. | telicanus, Tarucus.

Tabanus insidiator, sp. n., in Siam, 437-440

(Atylotus) leucocnematus, 439-440

lineatus (see T. rufinotatus). megalops (see T. tenens).

(Atylotus) nephodes, in Assam, 437.

nigritarsis, 43; bionomics of, in Australia, 56-59.

nigrotectus, in Siam, 437. partitus (see T. striatus)

praematurus, sp. n., in Siam, 440-442

priscus, 448.

pugiunculus, sp. n., in Siam, 451-453.

pugnax, sp. n., in Siam, 449-451

rubicundulus, sp. n., in Siam, 442-444.

rubidus, in Siam, 448.

rufinotatus, 41, 43; bionomics of, in Australia, 53-56.

siamensis, in Siam, 455.

sinicus, distinct from T. striatus, 446.

striatus, distribution of, in Far East, 445.

taeniola var. variatus, 235.

tenens, 445.

virgulatus, sp. n., in Siam, 446-448.

Tachardia decorella, food-plant of, in Formosa, 212.

Tachina mella, 4.

Taeniorhynchus (Coquillettidia) richiardii, in Palaearctic Region, 291.

Taeniorhynchus titillans, recorded in error from Rumania, 291, note. taeniorhynchus, Culex.

tahoensis, Aëdes.

Tanganyika Territory, new Simufiids from, 458, 461.

tarandi, Oedemagena, tarandus, Oryctes.

tarsimaculatus, Anopheles.

Tarucus telicanus, on Cajanus indicus in Mauritius, 185.

tasmaniensis, Aëdes (Ochlerotatus): Lucilia.

taylori, Culex.

Teak, new weevil attacking, in India, 166.

tectus, Ptinus.

tegalensis, Aulacaspis.

Telenomus, parasite of Prodenia litura in Mauritius, 181, 184.

truncativentris, parasite of Antestia lineaticollis in Kenya Colony, 191-201.

tempestiva, Musca. tenax, Eristalis. tenebrosa, Cuterebra. tenens, Tabanus.

tentorius, Culicoides.

Termites, new species of, in Australia, 363-399.

ternicinctus, Gastrophilus.

terrae-reginae, Musca.

Tersesthes, a synonym of Leptoconops, 1, 2, 107.

Anopheles tessellatus, bunctulatus: Eucalymnatus.

tesserata, Pseudaonidia.

Tetrastichus sicarius, parasite of Coccus viridis in Mauritius, 188.

thalàssius, Culex.

Thaumasura curculionis, parasite of Euthyrrhinus meditabundus Queensland, 65.

Thea sinensis, Coccid on, in Formosa,

theobaldi, Anopheles.

Theobaldia, key to Palaearctic species of, 286.

alaskaensis, in Palaearctic Region, 288.

annulata, in Britain, 208, 427; in Palaearctic Region, 288; anatomy of, 266, 292

arctica (see T. alaskaensis). bergrothi (see T. glaphyroptera)

dyari, 289.

(Culicella) fumipennis, influence of drought on, in British Isles, 207; in Palaearctic Region, 290; anatomy of, 292

(Theobaldia) glaphyroptera, in Palaearctic Re-

gion, 287.

(Allotheobaldia) longiareolata, in Palaearctic Region, 287; venation of, 285.

(Culicella) morsitans, influence of drought on, in British Isles, 205, 207; in Palaearctic Region, 289.

(Pseudotheobaldia) niveitaeniata, distinct from T. glaphyroptera, 287.

(Theobaldia) subochrea, in Palaearctic Region, 289.

Theretra alecto, bionomics of, on grape vines in Mesopotamia, 478 Thliptoceras octoguttalis, Botys octo-

guttatus possibly recorded as, on

coffee in Mauritius, 187.

thoracicus, Culex.

Thrips, food-plants of, in Mauritius, 183, 185.

Thripsaphis, Laingia resembling, 429. tiberiadis, Trichotanypus.

tigripes, Lutzia.

tipuliformis, Culex.

titillans, Taeniorhynchus.

titillator, Cephalopsis.

Tobacco, food-plant of Asterochiton vaporariorum în Britain, 359; pests of, in Mauritius, 182.

togoi, Aëdes (Finlaya).

Tomato, Asterochiton vaporariorum on, in Britain, 355-359; pests of, in Mauritius, 186; Chionaspis subcorticalis on, in Seychelles, 127.

torrens, Leptoconops. towadensis, Megarhinus.

Toxoplasma, 5.

Transcaspia, breeding-places of locusts in, 143-154.

Trichogramma australicum, parasite of Sesamia vuteria in Mauritius, 184. Trichonympha, in termites, 371.

Trichoptilus wahlbergi, on sweet potato in Mauritius, 184

Trichotanypus tiberiadis, recorded in error as a blood-sucker in Palestine, 115.

trifilatus, Culex.

trigonocephala, Rogenhofera.

Trigonogenius globulum, breeding in argol, 133.

trilobitiformis, Pseudaonidia.

Trinidad, oviposition of Psorophora posticata in, 481.

Trioza, on citrus in Kenya Colony, 103; on citrus in Mauritius, 188.

tritaeniorhynchus, Culex.

trompe, Cephenomyia. Trullifiorinia, 216.

truncativentris, Telenomus.

Trypanosoma uniforme, in cattle in Kenya Colony, 233.

Trypanosomiasis, in the absence of Glossina in Kenya Colony, 233-236.

tubulorum, Lepidosaphes. turanica, Oxya turkhudi, Anopheles.

tyriei, Eutermes.

ugandae, Haematopota. ulmi, Lepidosaphes. ulrichi, Cephenomyia. umbrosus, Anopheles. unguiculata, Uranotaenia. unicornutum, Simulium. uniforme, Trypanosoma.

univittatus, Culex.

Uranotaenia bimaculata, in Palaearctic Region, 283. ,, mashonaensis, 283. ,, unguiculata, in Palaearctic Region, 283.

vagus, Anopheles. validicornis, Haematopota pachycera). validus, Leucotermes. vaporariorum, Asterochiton (Aleurodes). variatus, Tabanus taeniola. variegatum, Amblyomma. varioannulatus, Culex (see C. pipiens). variolus, Oestrus. varipes, Chrysomyia; Stomoxys. vassilievi, Anopheles superpictus. vastator, Pseudococcus (see P. filamentosus). vastatrix, Hemileia. Vegetable Marrow, food-plant of Asterochiton vaporariorum in Britain, 359. venosus, Bibio. ventralis, Armigeres. ventrilloni, Culex. ventrosa, Musca. Verschaffeltia splendida, new scale on, in Seychelles, 127. versutus, Adoretus. verticillata, Eupristina. veterinus, Gastrophilus. vetustissima, Musca (see M. pumila). vexans, Aëdes (Ecculex) Viburnum opulus, food-plant of Aphis rumicis, 86, 87. vicaria, Musca (see M. domestica). victoriensis, Hamitermes perplexus. Vigna catjang, pests of, in Mauritius, 186. Vine, Grape, Lepidopterous pests of, in Mesopotamia, 478, 479. Vinsonia stellifera, on mango in Mauritius, 189. violaceum, Simulium alcocki.

virgatipes, Culex.

virgatus, Pseudococcus.

virgulatus, Tabanus.

viridis, Agrilus; Coccus; Culex. viridissima, Crioceris. viridula, Cochliomyra. vishnui, Culex. vitreipennis, Culicoides. vitrepennis, Musca. vittatus, Aëdes (Stegomyria). vivax, Plasmodium. vomitoria, Calliphora. vorax, Lutzi; Simulium. vulgaris, Culex. vuteria, Sesamia.

wahlbergi, Trichoptilus.
Wart Hog, Oestrid infesting, in Africa, 247.
waterhousei, Aëdes (Ochlerotatus) (see A. maculatus).
Weevils, new, in India, 165–180.
willmori, Anopheles (see A. maculatus).
Willow, new Coccid on, in Japan, 216.
Wohlfahrtia, larviparous habit of, 261.
magnifica, causing myiasis, 241, 243; larva of, 260.

xanthina, Aphiochaeta. xanthindyma, Cosmophila (see C. flava). Xanthogramma pfeifferi, predacious on Aphis brassicae in Mauritius, 186. xanthomela, Musca.

Yokohama, breeding-places of mosquitos at, 407. ypsilon, Agrotis.

zammittii, Aëdes (Ochlerotatus).
Zanzibar, new Leptoconops in, 24; new Simulium in, 459.
Zebra, Oestrids infesting, 245.
zebrae, Gastrophilus pecorum.
Zizera lysimon, on Cajanus indicus in Mauritius, 185.
zizyphi, Parlatoria.

## INDEX TO NAMES OF PERSONS.

Abildgaard, Prof. P. C., 416. Adams, J. J., 103. Adelung, Dr. N., 141, 288. Aders, Dr. W. M., 26, 242 Ahnger, C., 273, 275, 279, 287, 288, 300, 323, 336. Alcock, Lt.-Col. A., 79, 94, 120, 281. Aldrich, Dr. J. M., 2, 4, 15, 17, 23. Alluaud, 316. Anderson, T. J., 99, 191, 195, 233, 473. Annandale, Dr. N., 20, 115, 119, 120, note, 121, 287, 279, 345, 432, 453. Artsimovicz, V., 135. Ashworth, Dr. J. H., 76. Aurivillius, Prof. C., 306 Austen, Major E. E., 107-124, 263, 271, 333, 339, 342, 345, 411, 412, 413, 415, 416, 417, 418, 420, 421, 431-455. Averill, Capt. W. W., 122 Awati, 416, 418, 420, 421, 422.

Bacot, A., 74. Bahr, Dr. P. H., 79. Baini Prashad, Dr., 423 Balfour, Dr. A., 29–34. Bancroft, Dr. T. L., 75, 425. Banks, 253, 254, 284, 325, 327. Barber, H. S., 17, 23 Barnes, Dr. M. E., 431, 432, 437, 441, 442, 449, 451, 453, 455. Barraud, Capt. P. J., 116, 263, 271, 273, 277, 279, 280, 289, 300, 303, 304, 323, 325, 333, 334, 339, 340, 342, 343, 344, 345. Barrow, 328. Bartko, 300, 302. Bate, Miss, 338. Baume, Dr. la, 151, 152. Bedford, 340. Beeson, C. F. C., 166, 170, 172, 175, 176, 177, 178, 180. Bell-Marley, H., 475.

Bengtsson, Dr., 320 Bennett, Major, 77. Bequaert, Dr. J., 240, 245, 246. Bergroth, Dr. E., 263, 287, 311, 314. Berland, 304. Bezzi, Prof. M., 3, 14, 17, 263, 291, 304, 316, 323, 324, 342, 420, 422, Bigot, 326, 333, 413, 418, 419, 422, 433, 437, 440 Biró, 300, 302, 306. Bischoff, 307. Bishopp, F. C., 240, 241, 251. Blanc, G., 5. Boag, G., 342. Boden Kloss, C., 72. Boheman, C. H., 288, 291, 304, 305, 307, 310, 314, 316, 320, 323. Boldyrev, V., 136. Bouet, 242. Brain, Dr. C. K., 475. Brand, H. S., 409. Brauer, 244, 288, 418, 422. Bredemann, 479. Brolemann, H. W., 286, 312, 316. Brunetti, E., 115, 121, 469. Brunner v. Wattenwyl, 152. Bryant, G. E., 473-475. Butler, Dr. G., 74. Butler, Capt., 437 Buxton, P. A., 323, 341, 477.

Cameron, Capt. J., 233, 234.
Carl, Dr. J., 162.
Carment, Capt., 309.
Carpenter, Dr. G. H., 232, 248
Carr, 311.
Carruthers, 30.
Carter, H. F., 1–28, 107, 313.
Castellani, A., 1, note, 239.
Chalmers, A. J., 1, note, 239.
Champion, G. C., 134.
Champion, H. G., 170.

Chapin, C. V., 30. Chari, 248. Charmoy, D. d'Emmerez de, 181-190. Chatterjee, N. C., 166 Chatton, E., 5. Cheah, Dr., 409. Chidester, F. E., 31. Chopard, L., 163, note. Christophers, Major S. R., 29, 30, 267, 270, 271, 272, 273, 275, 277, 278, 279, 280, 327, 428. Chuen, M. C., 97. Clark, J., 397. Clearkin, Dr., 238. Cobbet, L., 29. Cockayne, Dr. E. A., 309. Colclough, S., 473. Coleman, Dr., 467. Collet, Prof. O., 311 Collin, J. E., 320, 333, 413, 417. Corfield, Major W. F., 119. Cornford, 327 Cragg, Major F. W., 92, 120, 412, 415, 420, 421 Cropper, 338, 343. Cross, Capt., 248, 261. Csiki, 308, 313.

Dakin, J. W., 12. Dale, Capt. W. J., 121, 122. Dalziel, Dr. J. M., 29, 30, 31. Darling, S. T., 31. Davidson, J., 81-89. Davies Sherborn, C., 267. Davis, Dr. C. N., 409. d'Emmerez de Charmoy, D., 181-190. de Fourcroy, 288. de Graaf, J. M. H. Swellengrebel, 70. de Lezey, L. Drouard, 284, 285, 318, de Meijere, Prof. J. C. H., 2, 3, 26, 78, de Vogel, W. T., 30. Debreuil, 313. Dobbs, C. M., 235. Dodd, A. P., 65, 66, 67–68, 191. Dönitz, 70, 71, 280. Dootson, Dr. F. W., 133. Drake-Brockman, R. E., 31 Drouard de Lezey, L., 284, 285, 318, 327. Dry, F. W., 99-102, 103-104, 191-201, 233-238. Duffield, Capt. A., 430. Dupont, P. R., 125, 126, 127. Durrant, J. H., 137, note. Dutt, H. L., 129, 132. Dutton, J. E., 29.
Dyar, H. G., 30, 31, 92, 267, 280, 281, 284, 288, 289, 292, 293, 301, 309, 310, 315, 316, 322, 323, 326, 327, 328, 336, 346, 347. Eaton, Rev. A. E., 122, 319.
Eckstein, F., 288, 312, 313, 323, 336.
Edwards, F. W., 2, 69-80, 116, note, 117, 221, 236, 263-351, 406, 407, 409.
Enderlein, Dr. G., 23, 78, 263, 277, 302, 306, 317.
Essen, L.v., 306, 311, 314.
Essig, Prof. E. O., 211.
Evans, A. E., 474.

Falshaw, P. S., 449. Faure, J. C., 136, 155, 157, 158, 159, Ferguson, Dr. E. W., 419, 423. Ferris, G. F., 211-220. Ficalbi, E., 263, 287, 290, 304, 305, 307, 312, 333, 335, 347. Field, J. F., 378. Fielding, J. W., 31. Finsch, 314. Fletcher, T. B., 129. Flower, Major S. S., 445. Foley, H., 30, 280. Ford, C., 302. Forsius, 311. Forskål, 347. Fortunat, 327 Fowler, 321, 344 Frauenfeld, 291. Frey, Dr. R., 263, 287, 306, 311, 314, Froggatt, W. W., 251, 376, 419, 423, Fuller, C., 363.

Gahan, Dr. C. J., 178. Gairdner, K. G., 442, 451, 454. Galli-Valerio, B., 316, 319. Gallois, E., 318, 327, 339. Gebert, S., 181–190. Gedoelst, Dr., 244. Gill, 342, 344. Gjellemp, K., 26. Gläser, 248. Gliniuk, T., 136, 143, note. Godfrey, F. J., 445, 448. Goetghebuer, M., 304. Goldberg, Dr., 289, 300, 339, 342. Gough, Dr. L. H., 4, 30. Graaf, J. M. H., Swellengrebel de, 70. Graham, W. M., 29 Graham-Smith, 342 Granö, 308, 324. Grassi, B., 4, 5, 29, 275. Gravely, F. H., 73. Green, E. E., 125-128, 211, 214. Grünberg, 303. Günther, 288.

Hacker, Dr. H. P., 70, 91, 406. Hadwen, Dr., 248, 249. Haglund, 288, 302, 304, 305. Handlirsch, A., 288, 300, 302, 313, 316, Hargreaves, E., 263, 271, 283, 304, 308. Harmand, 318. Hartert, Dr. E., 107. Harvey Johnston, Prof. T., 423, 425. Heller, Prof. K., 170. Hewitt, Dr. C. G., 411, 412. Hewitt, J., 35, 38, 40. Hill, G. F., 41-62, 63-66, 71, 75, 76, 78. 79. 80. 363-399, 373, 376, 419, 423, 424, 425 Horn, Dr. W., 263 Horvath, Dr. G., 304. Howard, Dr. L. O., 2, 15, 23, 30, 31, 92, 280, 281, 284, 301, 323, 328. Hubback, T. R., 449 Hudson, G. V., 73, 74, note.

Ikonnikov, N., 136. Imms, Dr. A. D., 221. Inamura, S., 211. Ingram, Dr. A., 74, 342.

Jack, R. L., 386. Jack, R. W., 242. Jacob, J. E., 32. James, Lt.-Col. S. P., 279, 427–428. Jatzentkovsky, E., 135. Johannsen, O. A., 1, 2. Johnston, Prof. S. J., 10. Johnston, Prof. T. Harvey, 423, 425. Joyeux, C., 242, 275, 283.

Karsch, F., 341, 419. Kearney, W., 233. Keilin, D., 231, 232. Kellogg, V. R., 211. Kemp, S., 72. Kendle, Capt., 117. Kertész, Dr. K., 263, 288, 291, 300, 302, 306, 308, 311, 316, 333, 433, Kieffer, J. J., 1, note, 2, 3, 18, 19, 21, 23, 107. Kilner, E., 404, 409. King, H. H., 29, 69. King, W. J. H., 341. Kirby, W. F., 137, 162. Kloss, C. Boden, 72. Knab, F., 30, 31, 92, 267, 280, 281, 284, 301, 323, 327, 328, 346. Koidzumi, M., 319. Kozhevnikov, Prof. J., 135. Krauss, H., 136.

Krogerus, 288.

Kuntze, 304. Kuwana, 211, 214, 217, 219.

La Baume, Dr., 151, 152. Labbe, P., 306. Laing, F., 125-128, 429. Lamborn, Dr. W. A., 91-97, 263, 274, 318, 325, 327, 328, 337, 339, 342, 345, 401-409 Landrieu, Dr., 335, 336. Lang, Dr. W. D., 273, 291, 304, 323. Langeron, Dr. M., 3, 4, 5, 6, note, 22, 279, 280, 287, 288, 300, 303, 304, 336, 342, Lea, A. M., 391 Leicester, Dr. G. F., 70, 79, 283 Lelean, Lt.-Col., 272 Lendl, 300 Leon, N., 275, 291, note, 333. Leonardi, 216. Lesne, P., 312, 313 Levander, 314, 323. Lezey, L. Drouard de, 284, 285, 318, Lichtwardt, B., 263, 290, 300, 302, 304, 306, 311, 313, 314, 316, 325. Liston, 279 Lloyd, Dr. Ll., 355-359. Lyle, G. T., 129-132 Loew, H., 317. Loitsch, 300. Ludlow, Dr. C. S., 288, 318 Lundbeck, Dr., 263, 309 Lundström, 288, 290, 300, 302, 307, 314. Lutz, Dr. A., 3, 13.

Macdonald, 280. Macfarlane, 342. Macfie, Dr. J. W. S., 31, 342. MacGregor, M. E., 29, 205-209, 291, 427, 428. Macleod, Capt. E. C., 440. Maki, M., 211. Malaguin, 87. Mann, 300, 305, 307, 308, 311, 313, 314, 320, 336. Marshall, Dr. G. A. K., 2, 153, 165-180, 240, 261, 268, 414, 426. Martini, Dr. E., 263, 300, 305, 307, 311, 315, 316, 323, 338. McDonald, J., 100. Meijere, Prof. J. C. H. de, 2, 3, 26, 78, 304. Metcalf, 253. Mik, 1, 288, 302, 305, 308, 313, 314, 316, 333, 336. Miller, D., 74, note. Mills, Dr. R. G., 318. Mitzmain, M. B., 445, note.

Mjöberg, Dr. E., 363, 375, 378, 382, 386.

Moitié, 87.

Mokrzecki, Prof. S. A., 353–354.

Molz, E., 232.

Montgomery, R. E., 233.

Mordwilko, A., 87.

Morgan, J. de, 289.

Moritz, L., 136.

Morris, H. M., 221–232.

Motchulsky, 307.

Mouhot, 437, 444.

Naday, 308, 323, 333, 341, Neave, Dr. S. A., 473. Neveu-Lemaire, 285. Newstead, Prof. R., 113, 213. Noé, G., 2, 3, 4, 5, 6, note, 14, 18, 338. Nuttall, Prof. G. H. F., 29, 273.

Oldenberg, L., 263, 273, 304, 305, 306, 307, 311, 314, 336. Orchardson, I. Q., 233, 235. Osmaston, B. B., 180.

Pachossky, J. K., 135. Palmen, 316. Palmer, W., 432. Parker, 249. Patterson, W. H., 474. Patton, Major W. S., 92, 120, 239-261, 411 - 426Pavie, 432. Pawan, J. L., 481. Pendlebury, W. J., 289. Penther, 316. Perkins, M. G. L., 134. Perkins, Dr. R. C. L., 468. Perrone, E., 30. Perry, J. C., 32. Peryassú, A. G., 31. Pettigrew, Rev. W., 442. Pic, M., 134. Pipping, 314. Pirkovsky, G., 136. Plotnikov, V. J., 135, 148, 149, 150. Pokorny, 288, 307, 311, 313. Pomeroy, A. W. J., 457-463. Portchinsky, Prof. I. A., 243, 285, 421. Prashad, Dr. Baini, 423. Pratt, F. C., 4, 17. Pratt, H. C., 135, note, 136, 142, note, 151, 153, Priestly, Dr. 424.

Racquette, 310. Ramachandra Rao, R., 477–479. Rehn, Dr. J., 136, 152, note. Ricardo, Miss G., 432, 445, 446, 455. Richardson, Lt.-Col., 118. Riedel, 304, 305, 311. Robinson, H. C., 20, 432. Rodhain, J., 240, 245, 246. Roepke, Dr., 153, Roman, Dr., 420. Roper, Dr., 70. Rossikov, K. N., 146. Rothschild, N. C., 412. Roubaud, Dr. E., 240, 242, 243, 244, 278. Rovere, 242. Rutherford, A., 128.

Sahlberg, J., 290, 302, 306, 311, 314, 316. Sahlberg, U., 314. Sakharov, N. L., 135. Sambon, Dr. L. W., 45. Sander, Dr. L., 151, 152. Sangone, 304. Saunders, W. W., 437, 444. Schiner, 287, 288, 304. Schneider, P., 313, 323. Schönherr, 288. Schulz, 302. Scott, Dr. H., 133-134. Searle, Capt. C., 121. Séguy, E., 263, 285, 291, 301, 303, 304, 306, 312, 315, 316, 320, 336, 340, note, 342. Sella, M., 31. Semenov-Tjan-Shansky, A. P., 153. Senior-White, R., 415, 419, 421, 422 Sergent, E., 270, 271, 279, 280, 303, Sewell, Lt.-Col. E. P., 120, 121. Sharp, Dr. D., 169, note. Sherborn, C. Davies, 267. Shevyrev, I., 137, note. Shipley, Sir A. E., 273. Short, H. E., 273. Shtchelkanovzev, Prof. J., 135. Shute, P. G., 427. Silén, F., 314. Silvestri, Prof. F., 398. Simpson, Dr. J. J., 151. Sjöstedt, Prof. Y., 162, 263, 309. Skuse, A. A., 71. Solier, 133, note. Somina, Miss O. M., 137, note. Sorauer, P., 231. Stanton, Dr. A. T., 401, 408, 432. Stein, Prof., 418, 419. Stobbe, 305, 306, 314 Storey, G., 334, 342, 343, 345. Strangeways-Pigg, T., 29. Strickland, 326. Strobl, 316. Subramaniam, T. V., 465-467, 468, 469.

Summers, Miss S. L. M., 120. Surcouf, Baron, J. M. R., 432, 437. Swellengrebel, Dr. N. H., 30, 70, 71, 76, 275. Swellengrebel de Graaf, J. M. H., 70.

Tams, W. H. T., 468.
Taylor, F. H., 31, 71, 77, 78, 80, 419, 423.
Taylor, T. H., 457.
Tetens, 307.
Thalhammer, 302.
Theobald, F. V., 87, 287, 300, 303, 304, 305, 312, 318, 319, 336, 337, 339, 346, 347, 408, 429–430.
Thomson, 418, 420, 425.
Tindale, N. B., 391.
Tonnoir, A., 305.
Townsend, C. H. T., 2, 4, 5, 15, 16, note, 17, 107, 114, 115, 245, 249.
Trybom, 288, 306, 308, 311, 313, 314, 324.

Uhl, 300. Ujhelyi, 300, 302, 304, 306, 308, 311, 314. Uvarov, B. P., 135–163.

Vaillant, Dr. L., 300. Vassiliev, J. B., 277. Velitchovsky, 302, 311. Villeneuve, Dr. J., 287, 316, 420. Vinokurov, G., 136. Vivante, 30. Vogel, W. T. de, 30. von Bodemeyer, 336. von Wattenwyl, Brunner, 152.

Wahlberg, P., 306, 314. Wallace, A. R., 418. Wanen, 307. Waterston, Dr. J., 35–40, 263, 271, 273, 275, 283, 285, 289, 304, 308, 321, 333, 338. Watson, Dr. M., 91. Weiss, A., 3, 4, 14, 15, 21, 22, 23. Wells, 249. Wenyon, Dr. C. M., 124, 273 Wesenberg-Lund, Dr. C., 263, 272, 289, 293, note, 300, 301, 302, 303, 304, 306, 307, 310, 311, 313, 316, 347. Wesselman, H., 375. White, S. A., 378 Wildermuth, C. K., 4. Willcocks, F. C., 4, 21, 22, 30. Williamson, Dr. G. A., 273. Wilson, F. E., 389. Winthem, 305. Wood, C. H. B., 408. Wood, R. C., 15. Woolley, Dr. P. G., 432, 445, 453. Wuorentaus, 288, 308, 323, 342. Wyville-Thompson, 342.

Yamada, S., 263, 283, 284, 318, 319, 323, 325, 327, 337, 339. Yerbury, Col., 320. Yvernault, A., 30.

Zehntner, 213. Zerney, Dr. H., 263. Zetterstedt, 301, 305, 307, 320.



